





## **Attachment C**


### **Lake Chipican Area LIF 3D Visualizations**

































































































**Attachment D**  
**CLC Area LIF 3D Visualizations**




































































































































**Attachment E**  
**G2 Area LIF 3D Visualizations**



























































## APPENDIX B





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20014

E: 385,662.0

N: 4,761,708.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger


BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.71 mASL

LOGGED BY: MSA

CHECKED BY: PEJ





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20014

E: 385,662.0 N: 4,761,708.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.71 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.74 mBGS MAX SIGNAL: 648.3% RE MAX SIGNAL DEPTH: 2.28 mBGS	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20025

E: 385,582.2

N: 4,761,776.1

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.84 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE							SUBSURFACE PROFILE				
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
-179								0.1			
-178		SS 1		67				0		SAND - FILL Brown, fine to coarse sand fill, some coarse gravel, damp, very loose, no HCO, no HC staining.  Becoming coarse sand and gravel fill at 0.1 mBGS, rusty and black staining, damp, loose, heavy HCO, HC staining.  Becoming brown fine to medium sand fill at 1.0 mBGS, occasional fine gravel, moist, very loose, no HCO, no HC staining.	
-177		SS 2		100	10		Sample collected for laboratory analyses at 1.97 mBGS	1.5		SANDY SILT Dark brown sandy silt and fine to medium sand, moist, loose, heavy HCO, HC staining.  Becoming brown to light grey sandy silt, laminated light and dark brown to light grey, wet, compact, slight HCO, no HC staining to 3.0 mBGS.	
-176		SS 3		100	0		Borehole terminated at 4.26 mBGS.	4.26		Becoming grey, medium to fine sandy silt, laminated dark and light grey, wet becoming saturated at 3.55 mBGS, dense, no HCO, no HC staining.	

The well profile diagram illustrates the borehole's depth from -179 m to 4 m ASL. Key features include:  
 - \*\*Termination Point:\*\* The borehole ends at a depth of 4.26 m BGS.  
 - \*\*Filter Pack:\*\* Located at 1.5 m BGS, consisting of two layers of silica sand.  
 - \*\*Casing:\*\* Solid well casing is shown between approximately -178.5 m and -177.5 m. A bentonite seal is positioned just above the filter pack.  
 - \*\*Screen:\*\* A screen section is located between -177.5 m and -176 m, made of 51 mm diameter schedule 40 flush joint PVC casing with #20 slot screen.  
 - \*\*Caved Material:\*\* At the bottom of the borehole, there is a layer of caved material.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20025

E: 385,582.2 N: 4,761,776.1

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.84 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.63 mBGS MAX SIGNAL: 179.4%RE MAX SIGNAL DEPTH: 2.43 mBGS.	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20026

E: 385,646.0 N: 4,761,641.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger


BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 179.32 mASL

LOGGED BY: MSA

CHECKED BY: PEJ





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20026

E: 385,646.0 N: 4,761,641.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 179.32 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.19 mBGS MAX SIGNAL: 80.8%RE MAX SIGNAL DEPTH: 1.61	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20149

E: 385,579.0 N: 4,761,775.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger


BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.23 mASL

LOGGED BY: MSA

CHECKED BY: PEJ





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20149

E: 385,579.0 N: 4,761,775.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/27/2020 COMPLETED: 10/27/2020

GROUND ELEVATION: 178.23 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SIGNAL (%RE)		PRODUCT MEASUREMENTS					
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.06 mBGS, MAX SIGNAL: 187.8 %RE MAX SIGNAL DEPTH: 1.16 mBGS	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020	WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20009

E: 385,625.75 N: 4,761,682.4

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 27/10/2020 COMPLETED: 27/10/2020

GROUND ELEVATION: 178.33 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE			
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0							0.0		<b>TOPSOIL</b> Dark brown silty sand topsoil, with rootlets, damp, loose, no HCO, no HC staining.
-178							0.2		<b>FILL</b> Brown fine sand fill with medium gravel, intermittent asphalt fragments and rootlets to 0.8 mBGS, moist, loose becoming compact at 0.9 mBGS, no HCO, no HC staining.
		SS 1	59	0			0.43		<b>SILTY SAND</b> Brown fine silty sand, wet, compact, no HCO, no HC staining. Becoming grey at 1.5 mBGS, saturated, with visible sheen and slight HCO from 1.7 mBGS to 2.6 mBGS, no HC staining.
1									
-177									
2									
-176		SS 2	86	0		Sample collected for laboratory analysis at 2.1 mBGS.			
3						Borehole terminated at 3.04 mBGS.	3.04		



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20015

E: 385,617.0

N: 4,761,705.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 27/10/2020 COMPLETED: 27/10/2020

GROUND ELEVATION: 178.17 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0								0.0		<u>TOPSOIL</u> Brown sandy topsoil, with rootlets, dry, loose, no HCO, no HC staining.
-178								0.19		<u>SAND FILL</u> Brown sand fill, dry, loose, poorly sorted, slight HCO noted at 0.5 mBGS, intermittent asphalt fragments, no HC staining.
-177		SS 1	53					0.8		<u>SILTY SAND</u> Grey silty sand, homogenous, wet, compact, slight HCO, no HC staining.
-176		SS 2	66		4		Sample collected for laboratory analyses at 1.5 mBGS.			Becoming grey, saturated, compact, HCO and sheen to 2.5 mBGS, no HC staining.
-175								3.04		Borehole terminated at 3.04 mBGS.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20019

E: 385,611.0 N: 4,761,733.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 27/10/2020 COMPLETED: 27/10/2020

GROUND ELEVATION: 178.76 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mbs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG
0								0.0	TOPSOIL
-178	SS 1		67			0	Sample collected for laboratory analyses at 1.8 mBGS.	0.2	Dark brown fine to medium sandy topsoil, with rootlets, dry, loose, no HCO, no HC staining.
-177	SS 2		67		0	0		0.233	SAND FILL
-176	SS 3		100		0	0	Borehole terminated at 3.84 mBGS.	2.33	Black and rusty brown sand fill with trace medium gravel, dry, loose, no HCO, no HC staining.
-175								3.84	Becoming light brown fine to medium sand, dry, very loose at 0.5 mBGS.
4									SILTY SAND
									Brown to grey silty sand, homogeneous, wet, compact, slight HCO, no HC staining.
									Becoming laminated dark and light grey at 3.0 mBGS, saturated, loose, no HCO, no HC staining.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20023

E: 385,597.0 N: 4,761,786.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 27/10/2020 COMPLETED: 27/10/2020

GROUND ELEVATION: 178.65 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mbs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG
0									
178	SS 1		53		0			0.0	 <b>SILTY CLAY TO CLAYEY SILT FILL</b> Brown silty clay to clayey silt fill, with fine gravel and rootlets, DTPL firm, no HCO, no HC staining.
177	SS 2		74		12		Sample collected for laboratory analyses at 2.1 mBGS.	0.45	 <b>CLAYEY SAND FILL</b> Dark brown fine clayey sand with rootlets and organic nodules (<1 cm), some gravel, moist, loose, no HCO, no HC staining.
176								0.8	 <b>SAND FILL</b> Dark brown medium to coarse sand fill, trace rootlets, dry, very loose, no HCO, no HC staining.
175	SS 3		74		0			1.52	 <b>SILTY SAND</b> Laminated brown and grey silty sand, wet, compact, heavy HCO to 2.2 mBGS, HC staining observed to 2.3 mBGS, sheen observed from 2.4 mBGS to 2.7 mBGS.  Becoming laminated brown and grey, saturated, compact, no HCO, no HC staining at 3.0 mBGS. Note: Presence of vegetative material or root at 3.8 mBGS.
4							Borehole terminated at 4.56 mBGS.	4.56	



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20191

E: 385,595.0

N: 4,761,772.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 27/10/2020 COMPLETED: 27/10/2020

GROUND ELEVATION: 178.91 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE			
DEPTH [mbs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG	MATERIAL DESCRIPTION
179							0.0		<b>TOPSOIL</b> Brown silty clay to clayey silt topsoil with rootlets, some fine gravel, dry, no HCO, no HC staining.
178			72		0		0.2		<b>SILTY CLAY TO CLAYEY SILT FILL</b> Brown silty clay to clayey silt fill, some gravel, DTPL, hard, no HCO, no HC staining.
177							1.52		Becoming reddish-brown with some fine sand and gravel, occasional asphalt fragments, intermittent black HC staining and heavy HCO at 0.5 mBGS.
176			64		0		3.04		Becoming brown, WTPL, soft, with heavy HCO and HC staining at 1.0 mBGS.
175	SS		100	3	4	Sample collected for laboratory analyses at 3.04 mBGS.  Borehole terminated at 4.56 mBGS.	4.56		<b>SILTY SAND</b> Black organic silty sand, with rootlets, moist, loose, heavy HCO, HC staining.  <b>SAND</b> Light brown and grey fine sand, saturated, compact, heavy HCO to 4.2 mBGS, sheen observed, no HC staining.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20170

E: 385,838.0 N: 4,761,529.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/28/2020 COMPLETED: 10/28/2020

GROUND ELEVATION: 178.69 mASL

LOGGED BY: MSA

CHECKED BY: PEJ


SAMPLE							SUBSURFACE PROFILE				
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
-1											
179											
0											
178											
SS 1			100	0				0.2		<b>SILTY SAND - FILL</b> Brown, fine silty sand, dry, loose, no HCO, no staining.	
								0.2		<b>SILTY CLAY - CLAYEY SILT - FILL</b> Brown silty clay to clayey silt fill, with trace gravel, blocky, rootlets, DTPL, no HCO, no HC staining.	
								1.05		<b>SAND - FILL</b> Dark brown to black-stained, fine to coarse sand fill, heavy HCO, very loose, damp to wet.	
177								1.79		<b>SILTY CLAY - FILL</b> Brown to black stained silty clay to clayey silt, soft, APL, heavy HCO.	
SS 2			60	0						Becoming brown, stiff, DTPL, no HCO, no staining at 2.32 mBGS.	
											Screen using 51 mm diameter schedule 40 flush joint PVC casing and #20 slot screen
176											
3								3.04		<b>SANDY SILT</b> Brown sandy silt, with fine dark and light brown laminations, compact, saturated, no HCO, no HC staining.	
SS 3			60	0				3.49		<b>SAND</b> brown medium to coarse sand, poorly sorted, wet, very loose, no HCO, no HC staining.	
175								4.11		Borehole terminated at 4.11 mBGS.	
4											

**RWDI**600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316**MONITORING WELL MW 20170**

E: 385,838.0 N: 4,761,529.0

**PROJECT NAME:** LIF Characterization**PROJECT NO.:** 1801685**CLIENT:** City of Sarnia**PROJECT LOCATION:** Sarnia**DRILLING CONTRACTOR:** Direct Environmental Drilling**DRILLING METHOD:** Hollow Stem Auger**BOREHOLE DIAMETER:** 203 mm**DATE STARTED:** 10/28/2020 **COMPLETED:** 10/28/2020**GROUND ELEVATION:** 178.69 mASL**LOGGED BY:** MSA**CHECKED BY:** PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 4.03 MAX SIGNAL: 168.3 % RE MAX SIGNAL DEPTH: 2.29	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20174

E: 385,782.0 N: 4,761,529.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger


BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/28/2020 COMPLETED: 10/28/2020

GROUND ELEVATION: 178.54 mASL

LOGGED BY: MSA

CHECKED BY: PEJ





RWI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20174

E: 385,782.0 N: 4,761,529.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/28/2020 COMPLETED: 10/28/2020

GROUND ELEVATION: 178.54 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 4.54 MAX SIGNAL: 110.1 %RE MAX SIGNAL DEPTH: 2.69 m	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20168

E: 385,816.0 N: 4,761,526.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 178.82 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mBGS]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG	MATERIAL DESCRIPTION
0					0			0.0		<b>TOPSOIL</b> Brown silty sand to sandy silt topsoil, with rootlets, dry, loose, no HCO, no HC staining.
-179					0			0.2		<b>SILTY CLAY FILL</b> Brown silty clay to clayey silt fill with some gravel, blocky, DTPL, hard, no HCO, no HC staining.
-178	SS 1		66		32		Sample collected for laboratory analyses at 1.7 mBGS.	0.5		Becoming dark brown silty clay to clayey silt fill with asphalt fragments and brick rubble at 0.65 mBGS, stiff, with rootlets, HCO and HC Staining noted from 1.0 mBGS to 2.4 mBGS.
-177	SS 2		86		44			2.42		<b>CLAYEY SILT to SILTY CLAY</b> Brown clayey silt to silty clay with fine disseminated sand and silt, APL, stiff, no HCO, no HC staining.
-3					0		Borehole terminated at 3.04 mBGS.	3.04		



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20187

E: 385,759.0 N: 4,761,510.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 178.82 mASL

LOGGED BY: MSA

CHECKED BY: Default Listing

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION
-179								0.0		
-178	SS 1		66	10			Sample collected for laboratory analyses at 0.87 mBGS.	0.87		<b>TOPSOIL</b> Light to dark brown medium to fine sandy topsoil, with rootlets, trace fine gravel from 0.7 mBGS to 0.87 mBGS, dry, loose, no HCO, no HC staining.
-177	SS 2		86	0				1.0		<b>CLAYEY SILT FILL</b> Black clayey silt to silty clay fill, blocky, stiff, APL, strong HCO and HC staining.
-176								1.5		<b>SILTY SAND to SANDY SILT</b> Black silty sand to sandy silt, with rootlets to 1.2 mBGS, HCO, and HC staining to 1.5 mBGS, damp and loose at 1.0 mBGS.
-3							Borehole terminated at 3.04 mBGS	3.04		Becoming wet and compact at 2.8 mBGS, becoming brown silty sand to sandy silt with no HCO and no HC staining at 1.5 mBGS to the depth extent of the borehole.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20070

E: 385,838.0 N: 4,761,529.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/29/2020 COMPLETED: 10/29/2020

GROUND ELEVATION: 179.77 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE							SUBSURFACE PROFILE				
DEPTH [mBGS]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
0								0.0			
179	SS 1		75				n	0.05	Yellow	<u>TOPSOIL</u> Clayey silt to silty clay topsoil with rootlets, moist, loose, no HCO, no HC staining.	Well Cap (Flushmount)
							0	0.66	Yellow	<u>SILTY SAND FILL</u> Laminated brown and organic silty sand fill, with rootlets, moist, loose, no HCO, no HC staining.	Bentonite Seal
							0	0.81	Blue	<u>TOPSOIL</u> Silty organic topsoil, moist, loose, no HCO, no HC staining.	
								1.0	Yellow	<u>SAND FILL</u> Grey medium to coarse sand fill, saturated, loose, no HCO, no HC staining.  Becoming brown at 1.5 mBGS.	Filter Pack; No. 2 Silica Sand
178	SS 2		68				0	2.06	Green	<u>SILT</u> Laminated light and dary grey silt with fine sand, saturated, compact, no HCO, no HC staining.	Screen using 51 mm diameter schedule 40 flush joint PVC casing and #20 slot screen
177								3.04	Red	Borehole terminated at 3.04 mBGS.	
3											



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20070

E: 385,838.0 N: 4,761,529.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/29/2020 COMPLETED: 10/29/2020

GROUND ELEVATION: 179.77 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.09 mBGS MAX SIGNAL: 137.1% RE MAX SIGNAL DEPTH: 0.86 mBGS	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20094

E: 385,968.0 N: 4,762,003.0

PROJECT NAME: LIF Characterisation

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm

DATE STARTED: 10/28/2020 COMPLETED: 10/28/2020

GROUND ELEVATION: 177.58 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE							SUBSURFACE PROFILE				
DEPTH [mBGS]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
0								0.0			
177								0.15		<b>TOPSOIL</b> Brown fine sandy topsoil, dry, loose, no HCO, no HC staining.	
176	SS 1		73			0		1.52		<b>SAND FILL</b> Light to dark brown fine to coarse sand fill, with coarse gravel, moist, loose, no HCO, no HC staining.	
175	SS 2		73			0		2.42		<b>SITLY CLAY TO CLAYEY SILT FILL</b> Brown silty clay to clayey silt fill, with occasional coarse gravel, DTPL, stiff, no HCO, no HC staining.	
174	SS 3		82			0		2.63		Becoming HC stained from 1.7 mBGS to 2.0 mBGS, with slight HCO.	
					10		Sample collected for laboratory analyses at 2.4 mBGS.			<b>SAND FILL</b> Medium to coarse sand fill, saturated, loose, LNAPL free product noted, strong HCO, dark brown HC staining.	
						0				<b>SILTY SAND</b> Laminated brown and grey silty sand, saturated, loose becoming compact at 2.9 mBGS, no HCO, no HC staining. Becoming grey at 3.0 mBGS, no HCO, no HC staining.	
							Borehole terminated at 3.65 mBGS.	3.65			



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20094

E: 385,968.0 N: 4,762,003.0

PROJECT NAME: LIF Characterisation

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/28/2020 COMPLETED: 10/28/2020

GROUND ELEVATION: 177.58 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 3.74 mBGS MAX SIGNAL: 56.3%RE MAX SIGNAL DEPTH: 2.43 mBGS	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

**MONITORING WELL MW 20161**

E: 385,726.0 N: 4,761,842.0

N: 4,761,842.0

**PROJECT NAME:** LIF Characterization

PROJECT NO.: 1801685

**CLIENT:** City of Sarnia

**PROJECT LOCATION:** Sarnia

**DRILLING CONTRACTOR:** Direct Environmental Drilling

**DRILLING METHOD:** Hollow Stem Auger

**BOREHOLE DIAMETER:** 203 mm

**DATE STARTED:** 10/29/2020      **COMPLETED:** 10/29/2020

GROUND ELEVATION: 181.83 mASL

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbgs] ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
182							0.08		<b>TOPSOIL</b> Organic silty sand topsoil, some fine gravel and rootlets, dry, loose, no HCO, no HC staining.	Well Cap (flushmount)
181	SS 1		100		0	A sample could not be retrieved for laboratory analysis due to poor soil core recovery as a result of metal/plastic debris clogging the lead auger and soil core sampler."	1.52		<b>SILTY CLAY TO CLAYEY SILT FILL</b> Brown silty clay to clayey silt fill, occasional coarse gravel, fine brown sand nodule (1 - 3 cm in diameter), DTPL, very stiff, no HCO, no HC staining.	Bentonite Seal
180	SS 2		34		0		3.04		<b>SAND FILL</b> Brown fine to coarse sand fill, dry, loose, some asphalt fragments and bricks rubble, occasional rusty staining, no HCO, no HC staining. Debris such as plastic and asphalt rubble noted at tip of core, which likely plugged the core sampler during advancement. Drilling conditions difficult. Presumed drilling through mix of soil and waste materials as noted with metal and plastic debris stuck at end of lead auger following sample retrieval.	Filter Pack: No. 2 Silica Sand
179	SS 3		3		32		4.56		<b>SILT</b> Black organic silt with trace fine sand, HCO noted, HC staining not evident due to poor recovery. Debris assumed to have plugged the core during advancement.	Screen using 51 mm diameter schedule 40 flush joint PVC casing and #20 slot screen
177	SS 4		6		6	Borehole terminated at 6.1 mbgs.	6.08		<b>SILTY SAND</b> Laminated grey and dark grey note at 4.6 mBGS. Debris assumed to have plugged the core during advancement, which reduced the soil recovery. No HCO, no HC staining evident.	



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## MONITORING WELL MW 20161

E: 385,726.0 N: 4,761,842.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 203 mm


DATE STARTED: 10/29/2020 COMPLETED: 10/29/2020

GROUND ELEVATION: 181.83 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

		SIGNAL (%RE)	PRODUCT MEASUREMENTS			
DEPTH [mbgs]	ELEV. [mASL]	FINAL DEPTH 5.64 mBGS MAX SIGNAL: 403.2%RE MAX SIGNAL DEPTH: 4.79 mBGS	WATER LEVEL NOV 2020	PRODUCT NOV 2020	WATER LEVEL DEC 2020	PRODUCT DEC 2020
						WELL DIAGRAM





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20037

E: 385,803.0 N: 4,761,988.1

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 29/10/2020 COMPLETED: 29/10/2020

GROUND ELEVATION: 178.77 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mBGS]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG
0								0.0	
178	SS 1		70				0		TOPSOIL Clayey silt to silty clay topsoil, trace coarse gravel, some rootlets, APL, soft, no HCO, no HC staining.
							0		SAND FILL Brown fine to coarse sand fill, poorly sorted, wet, loose, no HCO, no HC staining. Note: Presence of glass shards, paper and plastic debries.
							0		SILTY CLAY TO CLAYEY SILT FILL Brown silty clay to clayey silt fill, with disseminated fine sand and gravel, APL, firm, no HCO, no HC staining.
							13		SAND FILL Brown coarse sand fill, poorly sorted, wet, loose, no HCO, no HC staining. A 5 cm thick layer of glass shards, paper and plastic debris noted at 0.76 mBGS.
								0.25	
								0.51	
								0.66	
								0.81	
								1.29	
177	SS 2		70				22		TOPSOIL Clayey silt to silty clay topsoil, some fine gravel and rootlets, APL, soft, slight HCO, HC staining not apparent.
									SILTY SAND Laminated brown and grey silty sand, saturated, compact, HCO and sheen observed to 2.4 mBGS, no HCO from 2.4 mBGS to terminal depth of borehole.
176									
3									
									Borehole terminated at 3.04 mBGS.
								3.04	



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20066

E: 385,867.0 N: 4,762,013.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 29/10/2020 COMPLETED: 29/10/2020

GROUND ELEVATION: 178.05 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mBGS]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG	MATERIAL DESCRIPTION
0	178					0		0.56		<b>TOPSOIL</b> Organic clayey silt to silty clay topsoil, with occasional fine gravel and rootlets, APL, soft, a 8 cm thick layer of mulch encountered at 0.4 mBGS, no HCO, no HC staining.
0.56						0		0.81		<b>SAND FILL</b> Brown medium to coarse sand fill, poorly sorted, wet, loose, no HCO, no HC staining.
1	177	SS 1	77			0		0.81		<b>SILT</b> Grey silt, laminated dark and light grey, saturated, compact, no HCO, no HC staining.
2	176	SS 2	57		3		Sample collected for laboratory analyses at 1.5 mBGS.			
3	175						Borehole terminated at 3.04 mBGS.	3.04		



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20069

E: 385,867.0

N: 4,762,027.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger




BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 178.0500 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mbs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG
0	178				0			0.0	
								0.17	
								0.59	
								0.82	
1	177				0			1.77	
2	176	SS 1	74	21	0		Sample collected for laboratory analyses at 1.8 mBGS.	2.04	
3	175	SS 2	86	23			Borehole terminated at 3.04 mBGS.	3.04	



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20071

E: 385,874.0

N: 4,762,024.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 178.05 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0	178				0			0.0		<b>TOPSOIL</b> Dark brown sandy silt topsoil, some fine gravel and rootlets, dry, loose, no HCO, no HC staining.
								0.3		<b>SAND</b> Brown fine to coarse sand, trace fine gravel, dry, loose, no HCO, no HC staining.
								0.53		<b>CLAYEY SILT TO SILTY CLAY</b> Brown clayey silt to silty clay fill with some medium angular gravel, WTPL, soft, no HCO, no HC staining.
								0.72		<b>SAND</b> Brown medium to coarse sand, poorly sorted, wet, loose, HCO, visible product noted at 0.7 mBGS.
1	177				33			1.29		<b>SILT</b> Brown and grey silt, homogeneous, saturated, loose, slight HCO, no HC staining, sheen noted at 1.5 mBGS to 1.8 mBGS.
2	176	SS 1	69				Sample collected for laboratory analyses at 1.5 mBGS.			
3	175	SS 2	86		0			3.04		Borehole terminated at 3.04 mBGS.



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20080

E: 385,863.0 N: 4,762,034.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 178.55 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mbgs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG
0					0			0.0	TOPSOIL
					0			0.09	Dark brown silty sand topsoil, with rootlets, damp, loose, no HCO, no HC staining.
					0			0.28	SAND
-178	SS 1	66			3			0.45	Brown fine sand with occasional black organic nodules (<1 cm), trace gravel, dry, loose, no HCO, no HC staining.
					8			0.63	SILT
					24			0.63	Black organic silt with fine sand and rootlets, moist, loose, no HCO, no HC staining.
1								0.82	SAND
								1.26	Brown medium to coarse sand, poorly sorted, moist, loose, no HCO, no HC staining.
								1.26	SILT
								1.82	Brown and grey silt, trace gravel, wet, loose, no HCO, no HC staining.
2	SS 2	59			0			1.82	SAND
								1.82	Brown medium to coarse sand, saturated, poorly sorted, loose, HCO, free product noted with some HC staining and sheen.
								2.04	SILT
-176								2.04	Brown and grey silt, trace gravel, saturated, loose to compact, slight HCO, no HC staining noted, visible sheen.
3								3.04	
									Borehole terminated at 3.04 mbgs.

**RWDI**600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316**BOREHOLE LOG BH20095**

E: 385,967.0 N: 4,761,987.0

**PROJECT NAME:** LIF Characterization**PROJECT NO.:** 1801685**CLIENT:** City of Sarnia**PROJECT LOCATION:** Sarnia**DRILLING CONTRACTOR:** Direct Environmental Drilling Inc.**DRILLING METHOD:** Hollow Stem Auger**BOREHOLE DIAMETER:** 82.5 mm**DATE STARTED:** 28/10/2020 **COMPLETED:** 28/10/2020**GROUND ELEVATION:** 179.2900 mASL**LOGGED BY:** MSA**CHECKED BY:** PEJ

DEPTH [mbs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE			
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0								0.0		<b>TOPSOIL</b> Brown fine to medium sandy topsoil with rootlets, dry, loose, no HCO, no HC staining.
-179								0.2		<b>CLAYEY SAND FILL</b> Brown clayey sand fill, trace angular gravel, moist, loose, no HCO, no HC staining.
		SS 1	79			0		0.3		<b>SAND FILL</b> Brown fine to medium sand fill, trace angular gravel, moist, loose, no HCO, no HC staining.
						0		0.74		<b>SILTY CLAY TO CLAYEY SILT FILL</b> Brown and rusty silty clay to clayey silt fill, some medium angular gravel, cobbles, DTPL, stiff, no HCO, no HC staining, some black organic nodules (<1 cm) noted at 1.6 mBGS.
1						0				
-178						0				
2						0	Sample collected for laboratory analyses at 1.9 mBGS.	1.93		<b>SAND</b> Brown medium to coarse sand, trace gravel and fine sand, wet, loose, slight HCO, some black HC staining.
-177		SS 2	51			115				
3						0				
-176		SS 3	95			0		3.04		<b>SILT</b> Grey and brown silt, trace fine sand, homogeneous, saturated, compact, no HCO, no HC staining.
								3.66		
							Borehole terminated at 3.7 mBGS.			



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20110

E: 385,990.0 N: 4,761,964.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 179.6900 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mbgs]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE			
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0								0.0		<b>TOPSOIL</b> Brown silty sand topsoil, with some gravel and rootlets, dry, loose, no HCO, no HC staining.
179		SS 1		100		0		0.92		<b>CLAYEY SILT TO SILTY CLAY FILL</b> Brown silty clay to clayey silt fill, with trace coarse gravel, WTPL, soft, HCO, intermittent HC staining noted.
178		SS 2			73	68	Sample collected for laboratory analyses at 1.5 mBGS.	1		
177		SS 3			87	76		3.04		<b>SAND</b> Brown medium to coarse sand, saturated, loose, poorly sorted, HCO, free product observed from 3.0 mBGS to 3.2 mBGS, HC staining prominent.
176						0		3.25		<b>SILT</b> Brown silt, homogeneous, saturated, compact, no HCO, no HC staining.
175							Borehole terminated at 4.6 mBGS.	4.56		



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20112

E: 385,969.0 N: 4,761,928.0

N: 4,761,928.0

**PROJECT NAME:** LIF Characterization

PROJECT NO.: 1801685

**CLIENT:** City of Sarnia

**PROJECT LOCATION:** Sarnia

**DRILLING CONTRACTOR:** Direct Environmental Drilling Inc.

**DRILLING METHOD:** Hollow Stem Auger

**BOREHOLE DIAMETER:** 82.5 mm

**DATE STARTED:** 28/10/2020      **COMPLETED:** 28/10/2020

GROUND ELEVATION: 178.335 mASL

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0								0.0		<b>TOPSOIL</b> Brown silty clay to clayey silt topsoil, with rootlets, moist, loose, no HCO, no HC staining.
181		SS 1		72		0		0.4		<b>SILTY CLAY FILL</b> Silty clay to clayey silt fill with some fine to medium gravel, blocky structure, some rootlets, DTPL, hard, no HCO, no HC staining.
180								0.7		<b>SAND FILL</b> Brown medium to fine sand fill, trace gravel, dry, loose, no HCO, no HC staining.
179		SS 2		53		40		0.81		<b>SILTY SAND FILL</b> Black organic silty sand fill, with brick rubble and coarse angular gravel, dry, loose, no HCO, no HC staining.
2								1.52		<b>SILTY CLAY TO CLAYEY SILT FILL</b> Stained black silty clay to clayey silt fill, with some medium to coarse angular gravel, APL, soft, strong HCO and HC staining.
3							Sample and a duplicate collected for laboratory analyses at 3.0 mBGS.			
178		SS 3		72		77				
4										
177										
5										
176		SS 4		46		38		4.56		<b>SAND</b> Medium to coarse sand, poorly sorted, wet, loose, strong HCO, prominent black HC staining.
6						0		4.87		<b>SILT</b> Laminated grey and brown silt with fine sand, saturated, compact, no HCO, no HC staining.
							Borehole terminated at 6.1 mBGS.	6.1		



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
 Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20117

E: 385,932.0

N: 4,761,920.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 28/10/2020 COMPLETED: 28/10/2020

GROUND ELEVATION: 180.92 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

DEPTH [mBGS]	ELEV. [mASL]	SAMPLE					SUBSURFACE PROFILE		
		SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mBGS]	GRAPHIC LOG
0	181							0.0	TOPSOIL
1	180	SS 1		53		0		0.1	Brown silty clay to clayey silt topsoil, with rootlets, dry, soft, no HCO, no HC staining.
2	179	SS 2		59		16		0.56	SILTY CLAY FILL
3	178	SS 3		66		15		1.57	Brown silty clay to clayey silt fill, some coarse angular gravel, blocky, DTPL, very stiff, no HCO, no HC staining.
4	177	SS 4		72		82	Sample collected for laboratory analyses at 4.8 mBGS.  Borehole terminated at 6.1 mBGS.	3.85	SANDY SILT
5	176							4.56	Brown sandy silt, homogeneous, wet, loose, slight HCO, no HC staining, occasional debris/waste material.
6	175							4.82	SAND
									Medium to coarse sand, saturated, loose, free product noted to 4.8 mBGS, prominent black HC staining.
									SILT
									Brown silt, homogeneous, saturated, dense, slight HCO, no HC staining.
								6.08	



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG BH20123

E: 385,728.0

N: 4,761,938.0

PROJECT NAME: LIF Characterization

PROJECT NO.: 1801685

CLIENT: City of Sarnia

PROJECT LOCATION: Sarnia

DRILLING CONTRACTOR: Direct Environmental Drilling Inc.

DRILLING METHOD: Hollow Stem Auger

BOREHOLE DIAMETER: 82.5 mm

DATE STARTED: 29/10/2020 COMPLETED: 29/10/2020


GROUND ELEVATION: 179.73 mASL

LOGGED BY: MSA

CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbgs]	ELEV. [mASL]	SAMPLE TYPE NUMBER	"N" VALUE	RECOVERY (%)	RQD	VAPOR MEASUREMENT	REMARKS	DEPTH [mbgs]	GRAPHIC LOG	MATERIAL DESCRIPTION
0						0		0.0		<b>TOPSOIL</b> Organic clayey silt to silty clay topsoil, occasional fine gravel, APL firm, no HCO, no HC staining.
-179		SS 1	50			0		0.15		<b>SILTY CLAY TO CLAYEY SILT FILL</b> Black organic silty clay to clayey silt fill, with rusty fissures and disseminated fine sand and gravel, no HCO, no HC staining. A 2 cm layer of glass shards noted at 0.6 mBGS, followed by soft silty clay to clayey silt fill with heavy HCO and HC staining.
-178		SS 2	50			17	Sample collected for laboratory analyses at 1.7 mBGS.	1.52		<b>SILTY SAND</b> Black stained fine silty sand, saturated, loose, strong HCO with visible product and black product staining from 1.7 mBGS to 1.9 mBGS (8 ppm vapour screening), becoming laminated grey and brown silty sand, with slight HCO, wet, compact at 2.0 mBGS, then laminated brown and black organic layers from 3.0 mBGS to 3.3 mBGS with visible sheen, but no HCO or HC staining, then grey silt at 3.3 mBGS to the terminal depth of the borehole.
-177										
-176		SS 3	67			22				
-175							Borehole terminated at 4.6 mBGS.	4.56		

## APPENDIX C





4510 Rhodes Dr., Unit 530  
Windsor ON Canada  
N8W 5K5

Tel: +1.519.823.1311  
Fax: +1.519.823.1316  
E-mail: [solutions@rwdi.com](mailto:solutions@rwdi.com)

## TECHNICAL MEMORANDUM

<b>DATE:</b>	2020-07-13	<b>RWDI Reference No.:</b> 1801685
<b>TO:</b>	Joe Boothe – City of Sarnia Superintendent, Environmental Services	<b>EMAIL:</b> <a href="mailto:joe.boothe@sarnia.ca">joe.boothe@sarnia.ca</a>
<b>CC:</b>	Claire Finoro Steve Davies Brent Langille	<b>EMAIL:</b> <a href="mailto:Claire.Finoro@rwdi.com">Claire.Finoro@rwdi.com</a> <b>EMAIL:</b> <a href="mailto:Steve.Davies@rwdi.com">Steve.Davies@rwdi.com</a> <b>EMAIL:</b> <a href="mailto:Brent.Langille@rwdi.com">Brent.Langille@rwdi.com</a>
<b>FROM:</b>	Phil Janisse	<b>EMAIL:</b> <a href="mailto:Philippe.Janisse@rwdi.com">Philippe.Janisse@rwdi.com</a>
<b>RE:</b>	<b>Subsurface Investigation and Gas Probe Installations</b> <b>Former Michigan Avenue Landfill (FMAL)</b> <b>Near 720 Ernest Street, Village of Point Edward, ON</b>	

Dear Mr. Boothe,

In response to the Ministry of the Environment, Conservation and Parks' (MECP) comments received in an email, dated June 2, 2020, as well as within a component of its Review of the 2019 Annual Monitoring Report Memorandum dated June 17, 2020, with respect to addressing soil vapour concerns near a resident located at 720 Ernest Street, in Point Edward, ON, RWDI has compiled relevant information with the intent to address these concerns within this Technical Memorandum.

### Existing Monitoring Well and Gas Probe Inspection

As proposed in a prior Memorandum dated June 4, 2020, RWDI was retained by the City of Sarnia (City) to complete down-hole camera inspections for monitoring wells/gas probes 702 and 902 to visually identify and measure the depth of the top of the screened interval for each location as there are no borehole logs available to interpret the screened interval installation details. The results of the downhole camera inspection are summarized below.

Monitoring Location	Top of Screen (mBTOP)	Total Depth (mBTOP)	Screened Interval (mBTOP)	Length of Screen (m)	Stick-Up (m)
<b>702</b>	1.55	3.88	1.55 to 3.88	2.33	0.83
<b>902</b>	1.15	1.52	1.15 to 1.52	0.37	0.61



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWDI#1801685  
JULY 13, 2020

Given the above field observations, the below summaries for the previous gas monitoring events completed in the CLC Area near the residential property at 720 Ernest Street were updated.

**May 21, 2020 – Monitoring Well and Gas Probe Field Measurements**

Monitoring Location	VOC (ppm)	LEL (%)	O <sub>2</sub> (%)	Liquid Level (mBTOP)	Top of Screen (mBTOP)	Screened Interval (mBGS)	Stick-Up (m)
<b>702</b>	0.0	0	20.9	1.47	1.55	0.72 to 3.05	0.83
<b>G6</b>	0.0	0	20.9	1.47	1.55	~0.7 to 3.8	0.85
<b>LL3</b>	0.0	0	20.9	2.29	1.65	~1.4 to 3.8	0.25
<b>902</b>	0.0	0	20.9	1.20	1.15	0.54 to 0.91	0.61
<b>MW23</b>	1.0	0	20.9	1.74	2.24	~1.5 to 4.9	0.74

**May 28, 2020 – Monitoring Well and Gas Probe Field Measurements**

Monitoring Location	VOC (ppm)	LEL (%)	O <sub>2</sub> (%)	Liquid Level (mBTOP)	Top of Screen (mBTOP)	Screened Interval (mBGS)	Stick-Up (m)
<b>702</b>	0.0	0	20.9	1.59	1.55	0.72 to 3.05	0.83
<b>G6</b>	0.0	0	20.9	1.64	1.55	~0.7 to 3.8	0.85
<b>LL3</b>	3.0	0	20.9	2.36	1.65	~1.4 to 3.8	0.25
<b>902</b>	0.0	0	20.7	1.36	1.15	0.54 to 0.91	0.61
<b>MW23</b>	0.0	0	20.9	2.15	2.24	~1.5 to 4.9	0.74

**Notes:** ppm = parts per million; mBTOP = metres below top of pipe; mBGS indicates metres below ground surface

As noted above, the screened interval for monitoring wells/gas probes 702 and 902 were not fully submerged for the May 28, 2020 gas monitoring event. However, the screened interval of monitoring well 702 was fully submerged for the May 21, 2020 monitoring event.

Of note, the camera inspection for gas probe 902 indicated that there may be some sediment build-up at the bottom of the probe, though the sediment buildup appeared to be limited to the sump of the probe, and was interpreted to be less than 5 cm. Notwithstanding, without a borehole log to compare, it is difficult to interpret whether there could be a significant or minor buildup of sediment within gas probe 902.



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWI#1801685  
JULY 13, 2020

## Subsurface Investigation

### Gas Probe Installations

As discussed in RWI's memorandum of June 4, 2020, the City retained RWI to install two (2) gas monitoring probes within the CLC Area of the FMAL just east of the residential property located at 720 Ernest Street. One of the gas monitoring probes was installed within the inferred location of the product plume to evaluate off-gassing concentrations that may be present directly from the product plume. The second gas monitoring probe was installed closer to the residence and outside the area of the inferred location of the product plume to evaluate for the presence of potential vapours in the vadose zone beyond the product plume front.

The placement depth of the screened interval considered the field observations from the laser-induced fluorescent (LIF) study completed in May 2020, such that the upper portion of the screened interval does not become submerged either by groundwater or floating product. The targeted screened interval installation depth was approximately 0.5 metre (m) above the inferred product elevation (based on the LIF field study observations) and at least 0.5 m below the bottom of the inferred product plume thickness. Each of the gas probes were completed with a threaded steel cap equipped with a barbed gas monitoring check valve.

### Subsurface Borehole Investigation

In addition to the installation of two (2) gas probes, supplemental boreholes were also completed to assess the shallow subsurface conditions and to delineate the edge of the inferred product plume. The subsurface advancement of the boreholes was completed using a handheld auger. Boreholes were advanced to approximately 1.5 mBGS in consideration of the LIF field-measured %RE of approximately 1.0 mBGS at the location of LIF BH20149.

With the objective of installing one of the gas probes within an interpreted area to be free of product (LIF BH20150) and one within the location of the inferred product plume (LIF BH20149), two (2) supplemental boreholes were completed to more accurately refine the approximate distance of the product plume front with respect to the adjacent residential property located at 720 Ernest Street. The lateral distances were measured in the field from the residential property boundary.

The following summary depicts the approximate distance of the borehole and gas probes compared to the adjacent residential property located at 720 Ernest Street. A **Figure** depicting the borehole and gas probe locations is also provided in **Attachment 1** for reference.



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWI#1801685  
JULY 13, 2020

Borehole and/or Gas Probe Location	Distances from Residential Property Boundary (m)	Product and/or Hydrocarbon Odour Impacts
<b>GP20150</b>	3.1	No
<b>BH20149A</b>	5.7	No
<b>BH20149B</b>	7.5	No
<b>GP20149</b>	9.3	Yes – sheen and heavy oil odours at 1.1 m
<b>LIF BH20149</b>	6.7	Yes (Based on field-measured %RE)
<b>LIF BH20150</b>	3.2	No (Based on field-measured %RE)

GP20150 was advanced at the inferred location of LIF BH20150 based on GPS coordinates provided by Vertex Environmental (Vertex). Based on the LIF investigation, at the location of LIF BH20149, a product-like signature was identified approximately 1.0 m BGS. However, there was no evidence of product-like impacts in the soil at BH20149B, which was located 0.8 m further east.

It is noted that the GPS coordinates collected by Vertex have inherent accuracy limitations (approximately  $\pm$  3 to 5 m) and satellite positioning is also subject to drifting. Thus, the exact positioning of LIF BH20149 may not be accurate and its location for the June 18, 2020 investigation was determined in the field based on GPS coordinates from the May LIF investigation. Based on the June 18, 2020 field observations, the product plume appears to be located approximately 8 m east of the residential property boundary.

## Field Soil Observations

In general, the subsurface soil encountered during the completion of the hand augured boreholes consisted mainly of a surficial layer of topsoil between 0.3 m and 0.6 m thick underlain by gravelly silty sand (0.1 to 0.3 m thick) then by an organic sandy loam or fine silty sand to the depth extent of approximately 1.5 m BGS. Of note, the soil sample collected for laboratory analysis at the location of GP20149 (sample ID 20149C) exhibited visual and olfactory evidence of a heavy oil hydrocarbon impact. The soil exhibited a distinct sheen and appeared oily.

Borehole logs and construction details for gas probes GP20149 and GP20150 are provided in **Attachment 2**. Of note, a Well Record was not required for the gas probe installations in accordance with the Shallow Works exemptions of O. Reg. 903.

## Soil Quality Assessment

During the June 18, 2020 subsurface investigation, soil samples were collected within the inferred stratigraphic range of the product plume (identified to be approximately 1.0 to 2.1 m BGS in the field during the LIF investigation) at three (3) of the borehole locations.



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWDI#1801685  
JULY 13, 2020

Soil samples were collected from a depth of approximately 1.1 to 1.3 mBGS in consideration of the LIF field measured %RE depth at the location of LIF BH20149. Soil samples were collected from the locations of GP20149 (Sample ID 20149C), BH20149A (sample ID 20149), and GP20150 (Sample ID 20150). The soil samples were submitted to Eurofins Scientific, a Canadian Association of Laboratory Accreditation (CALA)-certified laboratory, for analytical testing. The analytical testing considered the known characteristics of the product plume and thus included testing for polycyclic aromatic hydrocarbons (PAHs), volatile organic compounds (VOCs), and petroleum hydrocarbons (PHCs) Fractions F1 to F4.

In general, the soil quality typically showed values that were below the laboratory detection limit for the tested parameters except for PHC Fraction F2 at the location of GP20149, and PHC Fraction F3 at the locations of BH20149A and GP20150. Each of the detected constituent concentrations were less than 5 times the laboratory reportable detection limit (RDL), thus, the detected concentrations can be considered negligible. There were no other detectable parameters noted in the soil samples submitted for analysis.

When comparing the analytical results to the *Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act* (MECP Standards), the PHC F2 concentration of 20 milligrams per litre (mg/L) noted at the location of GP20149 (sample ID 20149C) exceeds the Generic Background Site Condition Table 1 criteria of the MECP Standards of 10 mg/L. No other soil parameters tested exceeded the Table 1 criteria of the MECP Standards. The relevant laboratory certificate of analysis is provided in **Attachment 3**.

## Trigger and Contingency Plan Considerations

The current *Trigger and Contingency Plan* (Golder and Associates, 2015) for the CLC Area at the FMAL states that "*if floating oil migrates to within 5 metres of the western property boundary, and is considered to be actively migrating, an active containment and recovery system will be installed in the CLC Area within 12 months.*" As a result of the above investigation, there is no requirement to implement remedial measures within a 12-month period as migrating product was not identified within 5 m of the western property boundary.

## Inspection of MW-205

On July 2, 2020, RWDI completed a downhole inspection of monitoring well 205 while on-site to complete other field tasks. The camera inspection revealed that the monitoring well was not compromised and that there was a length of polyethylene tubing that had fallen into the well with its top at approximately 1.80 mBGS. The length of tubing could not be determined, however, based on the borehole log information, if the length of tubing is sitting at the bottom of the well, then an inferred tubing length could be approximately 0.94 m. RWDI will attempt to remove the length of tubing during the next monitoring event scheduled for the week of July 20, 2020.



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWDI#1801685  
JULY 13, 2020

## Gas Monitoring Results – New Gas Probes

The combustible gas field screening was completed using a MultiRAE Plus 4 gas meter with PID (photoionization detector) sensor. The PID sensor is calibrated to an isobutylene standard calibration gas and measures the ambient volatile organic compound (VOC) concentration. The PID readings are expressed in parts per million (ppm) to an accuracy of 0.1 ppm. The gas meter can also measure methane concentrations within the methane's lower explosive limit (LEL) in air (0 to 5% methane in air, where 5% in air = 100% LEL). As such, LEL field measurements were also completed during this follow-up field investigation. Measurements were also recorded for percent oxygen ( $O_2$ ) in air to evaluate if there was the potential for other gases to be displacing the normal percentage of  $O_2$  for safe breathing levels.

### June 18, 2020 – New Gas Probe Field Measurements

Monitoring Well/Gas Probe Location	VOC (ppm)	LEL (%)	$O_2$ (%)
GP20149	0.0	0	19.8
GP20150	0.0	0	18.3

### July 2, 2020 – New Gas Probe Field Measurements

Gas Probe Location	VOC (ppm)	LEL (%)	$O_2$ (%)	Liquid Level (mBTOP)	Top of Screen (mBTOP)	Top of Probe (mASL)
GP20149	0.0	0	20.9	1.79	1.22	178.88
GP20150	0.0	0	20.3	2.05	1.22	179.14

### July 9, 2020 – New Gas Probe Field Measurements

Gas Probe Location	VOC (ppm)	LEL (%)	$O_2$ (%)	Liquid Level (mBTOP)	Top of Screen (mBTOP)	Top of Probe (mASL)
GP20149	0.0	0	20.9	1.89	1.22	178.88
GP20150	0.0	0	20.9	2.14	1.22	179.14

As noted above, there were no combustible gas readings detected at the location of new gas monitoring probes GP20149 and GP20150 for either the June 18<sup>th</sup>, July 2<sup>nd</sup>, or July 9, 2020 gas monitoring events.

Visual observations of product were observed within the soil at GP20149. The lack of combustible gas readings from a location with visual indications of product suggests that the existing product in the area does not readily volatilize.



Mr. Joe Boothe  
Corporation of the City of Sarnia  
RWDI#1801685  
JULY 13, 2020

## Proposed Next Steps

Given the above-noted low to no combustible gas readings within nearby monitoring wells and gas probes, as well as within the newly installed gas probes GP20149 and GP20150, it is proposed that until the Trigger and Contingency Plan is revised, soil vapour monitoring continues to be completed at newly installed gas probes GP20149 and GP20150 on a monthly basis. The soil vapour monitoring is proposed to include the assessment of methane, volatile organic compounds (VOCs), and oxygen concentrations in air. In addition to soil vapour monitoring, liquid levels should also be measured such that an assessment can be made whether the screened interval within the newly installed gas probes are submerged.


If the probes' screened intervals are noted to be fully submerged during a routine monthly monitoring event, then gas monitoring at that location should be repeated approximately one (1) week later. If the probes' screened intervals remain submerged after a week, then the routine gas monitoring will simply resume on the following month. As such, gas monitoring at GP20149 and GP20150 should be completed earlier in the month to allow for the one-week re-check buffer, if necessary.

Following a six-month period, if soil vapour readings remain very low (1% LEL or less for methane and <5 ppm for VOCs) to non-detect, the gas monitoring frequency at gas probes GP20149 and GP20150 may be reduced from monthly to quarterly.

## Closure

We trust the above is satisfactory for your current requirements. Please contact us with any questions you may have.

## ATTACHMENT 1





## Site Plan Soil Sampling/Gas Probe Installation

Map Projection: NAD 1983 UTM Zone 17N  
The Corporation of the City of Sarnia - Former Michigan Avenue Landfill


Notes: Orthoimagery obtained from First Base Solutions (2017)



Drawn by: JVV Figure: 1  
Approx. Scale: 1:250  
Date Revised: Jul 6, 2020



## ATTACHMENT 2





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG

BH20149A

E: 385,577.83

N: 4,761,775.3

PROJECT NAME: Soil Sampling/Gas Probe Installation

PROJECT NO.: 1801685

CLIENT: The Corporation of the City of Sarnia

PROJECT LOCATION: Former Michigan Avenue Landfill

DRILLING CONTRACTOR: RWDI

DRILLING METHOD: Handheld Augers

BOREHOLE DIAMETER: 57 mm

DATE STARTED: 18-June-2020 COMPLETED: 18-June-2020

GROUND ELEVATION: 178.08 mASL

LOGGED BY: MSA CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbsl]	ELEV. [mASL]	SAMPLE TYPE	NUMBER	"N" VALUE	RECOVERY (%)	PID (ppm)	REMARKS	DEPTH [mbsl]	GRAPHIC LOG	MATERIAL DESCRIPTION
0 - 178	178		1		100			0.3		<b>TOPSOIL</b> Light to dark brown sandy topsoil, trace gravel, trace cobble, trace rootlets, dry, very loose, no HCO.
			2		100			0.3		<b>SILTY SAND</b> Dark brown fine to medium silty sand, trace gravel, moist, very loose, no HCO.
			3		100			0.5		<b>SILTY-CLAY TO CLAYEY-SILT</b> Brown silty-clay to clayey-silt, APL, very stiff, no HCO.
			4		100			0.7		<b>SANDY SILT TO SANDY LOAM</b> Dark brown to black sandy silt to sandy loam, trace to some roots, moist to saturated, no HCO. - Tree root encountered at 0.84 m depth.
1 - 177	177		5		100		Borehole terminated at 1.6 m depth.			
			6		0					
			7		100					
			8		100	0.0				
			9		100	0.0				
2 - 176	176									
3 - 175	175									
4										



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

## BOREHOLE LOG

BH20149B

E: 385,577.83

N: 4,761,775.3

PROJECT NAME: Soil Sampling/Gas Probe Installation

PROJECT NO.: 1801685

CLIENT: The Corporation of the City of Sarnia

PROJECT LOCATION: Former Michigan Avenue Landfill

DRILLING CONTRACTOR: RWDI

DRILLING METHOD: Handheld Augers

BOREHOLE DIAMETER: 57 mm

DATE STARTED: 18-June-2020 COMPLETED: 18-June-2020

GROUND ELEVATION: 178.08 mASL

LOGGED BY: MSA CHECKED BY: PEJ

SAMPLE						SUBSURFACE PROFILE				
DEPTH [mbsl]	ELEV. [mASL]	SAMPLE TYPE	NUMBER	"N" VALUE	RECOVERY (%)	PID (ppm)	REMARKS	DEPTH [mbsl]	GRAPHIC LOG	MATERIAL DESCRIPTION
0 - 178	178		1		100			0.3		<b>TOPSOIL</b> Brown sandy topsoil, some gravel, dry, very loose, no HCO.
			2		100			0.4		<b>SILTY-CLAY TO CLAYEY-SILT</b> Brown silty-clay to clayey-silt, APL, very stiff, no HCO.
			3		54					<b>SAND</b> Light to dark brown fine to medium sand, poorly sorted, some silty-clay to clayey-silt nodules (<1 cm), some cobble, moist to saturated, loose to compact, no HCO.
			4		100					
			5		100					
			6		100					
			7		100					
							Soil sample ('20149') collected for laboratory analysis of PHCs, PAHs, VOCs. Borehole terminated at 1.5 m depth.			
1 - 177	177									
2 - 176	176									
3 - 175	175									
4										



RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

GAS PROBE

GP20149

E: 385,577.83

N: 4,761,775.3

PROJECT NAME: Soil Sampling/Gas Probe Installation

PROJECT NO.: 1801685

CLIENT: The Corporation of the City of Sarnia

PROJECT LOCATION: Former Michigan Avenue Landfill

DRILLING CONTRACTOR: RWDI


DRILLING METHOD: Handheld Augers

BOREHOLE DIAMETER: 57 mm

DATE STARTED: 18-June-2020 COMPLETED: 18-June-2020

GROUND ELEVATION: 178.08 mASL

LOGGED BY: MSA CHECKED BY: PEJ





RWDI

600 Southgate Drive, Guelph, ON N1G 4P6  
Tel: 519.823.1311 Fax: 519.823.1316

GAS PROBE

GP20150

E: 385,583.1

N: 4,761,776.5

PROJECT NAME: Soil Sampling/Gas Probe Installation

PROJECT NO.: 1801685

CLIENT: The Corporation of the City of Sarnia

PROJECT LOCATION: Former Michigan Avenue Landfill

DRILLING CONTRACTOR: RWDI

DRILLING METHOD: Handheld Augers


BOREHOLE DIAMETER: 57 mm

DATE STARTED: 18-June-2020 COMPLETED: 18-June-2020

GROUND ELEVATION: 178.35 mASL

LOGGED BY: MSA

CHECKED BY: PEJ



## ATTACHMENT 3



Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Claire Finoro  
Invoice to: RWDI Air Inc.  
PO#: 1801685-5002

Report Number: 1932729  
Date Submitted: 2020-06-23  
Date Reported: 2020-06-30  
Project: 1801685  
COC #: 858942  
Temperature (C): 11  
Custody Seal:

Page 1 of 11

---

Dear Claire Finoro:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

---

Long Qu, Organics Supervisor

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <http://www.cala.ca/scopes/2602.pdf>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Claire Finoro  
PO#: 1801685-5002  
Invoice to: RWDI Air Inc.

Report Number: 1932729  
Date Submitted: 2020-06-23  
Date Reported: 2020-06-30  
Project: 1801685  
COC #: 858942

## O.Reg 153-T1-All Other Soils

### ***Exceedence Summary***

Sample I.D.	Analyte	Result	Units	Criteria
Hydrocarbons 20149C	Petroleum Hydrocarbons F2	20	ug/g	STD 10

Results relate only to the parameters tested on the samples submitted.  
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

**Guideline = O.Reg 153-T1-All Other Soils**
**Hydrocarbons**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
PHC's F1	385487	10	ug/g	STD 25	<10	<10	<10	
PHC's F2	385519	10	ug/g	STD 10	<10	<10	20*	
PHC's F3	385519	20	ug/g	STD 240	40	<20	60	
PHC's F4	385519	20	ug/g	STD 120	<20	<20	<20	

**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
1+2-methylnaphthalene	208523	0.05	ug/g		<0.05	<0.05	<0.05	
Acenaphthene	385094	0.05	ug/g	STD 0.072	<0.05	<0.05	<0.05	
Acenaphthylene	385094	0.05	ug/g	STD 0.093	<0.05	<0.05	<0.05	
Anthracene	385094	0.05	ug/g	STD 0.16	<0.05	<0.05	<0.05	
Benz[a]anthracene	385094	0.05	ug/g	STD 0.36	<0.05	<0.05	<0.05	
Benzo[a]pyrene	385094	0.05	ug/g	STD 0.3	<0.05	<0.05	<0.05	
Benzo[b]fluoranthene	385094	0.05	ug/g	STD 0.47	<0.05	<0.05	<0.05	
Benzo[ghi]perylene	385094	0.05	ug/g	STD 0.68	<0.05	<0.05	<0.05	
Benzo[k]fluoranthene	385094	0.05	ug/g	STD 0.48	<0.05	<0.05	<0.05	
Chrysene	385094	0.05	ug/g	STD 2.8	<0.05	<0.05	<0.05	
Dibenz[a h]anthracene	385094	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05	
Fluoranthene	385094	0.05	ug/g	STD 0.56	<0.05	<0.05	<0.05	
Fluorene	385094	0.05	ug/g	STD 0.12	<0.05	<0.05	<0.05	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

**Guideline = O.Reg 153-T1-All Other Soils**
**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
Indeno[1 2 3-cd]pyrene	385094	0.05	ug/g	STD 0.23	<0.05	<0.05	<0.05	
Methlynaphthalene, 1-	385094	0.05	ug/g	STD 0.59	<0.05	<0.05	<0.05	
Methlynaphthalene, 2-	385094	0.05	ug/g	STD 0.59	<0.05	<0.05	<0.05	
Naphthalene	385094	0.05	ug/g	STD 0.09	<0.05	<0.05	<0.05	
Phenanthrene	385094	0.05	ug/g	STD 0.69	<0.05	<0.05	<0.05	
Pyrene	385094	0.05	ug/g	STD 1	<0.05	<0.05	<0.05	

**Volatiles**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
Acetone	385487	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50	
Benzene	385484	0.02	ug/g	STD 0.02	<0.02	<0.02	<0.02	
Bromodichloromethane	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Bromoform	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Bromomethane	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Carbon Tetrachloride	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Chlorobenzene	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Chloroform	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Dibromochloromethane	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Dichlorobenzene, 1,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Dichlorobenzene, 1,3-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Dichlorobenzene, 1,4-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Dichlorodifluoromethane	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

## Environment Testing

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

### **Guideline = O.Reg 153-T1-All Other Soils**

#### **Volatiles**

Analyte	Batch No	MRL	Units	Lab I.D.	1500341 Soil153 2020-06-18	1500342 Soil153 2020-06-18	1500343 Soil153 2020-06-18
				Sample Matrix	Sample Type	Sample Date	Sampling Time
Dichloroethane, 1,1-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,1-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-cis-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-trans-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-	385487	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-cis-	385484	0.05	ug/g		<0.05	<0.05	<0.05
Dichloropropene, 1,3-trans-	385484	0.05	ug/g		<0.05	<0.05	<0.05
Ethylbenzene	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Ethylene dibromide	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Hexane (n)	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	385487	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	385487	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	385487	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Methylene Chloride	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Styrene	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Toluene	385484	0.20	ug/g	STD 0.2	<0.20	<0.20	<0.20
Trichloroethane, 1,1,1-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Trichloroethylene	385484	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

**Guideline = O.Reg 153-T1-All Other Soils**
**Volatiles**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
Trichlorofluoromethane	385484	0.05	ug/g	STD 0.25	<0.05	<0.05	<0.05	
Vinyl Chloride	385484	0.02	ug/g	STD 0.02	<0.02	<0.02	<0.02	
Xylene Mixture	385485	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	
Xylene, m/p-	385484	0.05	ug/g		<0.05	<0.05	<0.05	
Xylene, o-	385484	0.05	ug/g		<0.05	<0.05	<0.05	

**Moisture**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
Moisture-Humidite	385519	0.1	%			35.2	25.6	44.1

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

## Environment Testing

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

### **Guideline = O.Reg 153-T1-All Other Soils**

#### **PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
				Guideline			
Alpha-androstrane	385519	0	%		97	73	94

#### **VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D.	1500341 Soil153 2020-06-18 20150	1500342 Soil153 2020-06-18 20149	1500343 Soil153 2020-06-18 20149C
				Guideline			
1,2-dichloroethane-d4	385484	0	%		104	116	110
4-bromofluorobenzene	385484	0	%		105	104	103
Toluene-d8	385484	0	%		102	100	101

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

### **Quality Assurance Summary**

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	1+2-methylnaphthalene							
385094	Methylnaphthalene, 1-	<0.05 ug/g	62	50-140	62	50-140	0	0-40
385094	Methylnaphthalene, 2-	<0.05 ug/g	64	50-140	64	50-140	0	0-40
385094	Acenaphthene	<0.05 ug/g	71	50-140	69	50-140	0	0-40
385094	Acenaphthylene	<0.05 ug/g	71	50-140	72	50-140	0	0-40
385094	Anthracene	<0.05 ug/g	71	50-140	70	50-140	0	0-40
385094	Benz[a]anthracene	<0.05 ug/g	70	50-140	69	50-140	0	0-40
385094	Benzo[a]pyrene	<0.05 ug/g	71	50-140	70	50-140	0	0-40
385094	Benzo[b]fluoranthene	<0.05 ug/g	56	50-140	69	50-140	0	0-40
385094	Benzo[ghi]perylene	<0.05 ug/g	82	50-140	79	50-140	0	0-40
385094	Benzo[k]fluoranthene	<0.05 ug/g	83	50-140	83		0	0-40
385094	Chrysene	<0.05 ug/g	82	50-140	76	50-140	0	0-40
385094	Dibenz[a h]anthracene	<0.05 ug/g	71	50-140	70	50-140	0	0-40
385094	Fluoranthene	<0.05 ug/g	69	50-140	70	50-140	0	0-40
385094	Fluorene	<0.05 ug/g	70	50-140	69	50-140	0	0-40
385094	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	76	50-140	68	50-140	0	0-40
385094	Naphthalene	<0.05 ug/g	73	50-140	75	50-140	0	0-40
385094	Phenanthrene	<0.05 ug/g	72	50-140	70	50-140	0	0-40
385094	Pyrene	<0.05 ug/g	70	50-140	70	50-140	0	0-40
385484	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	93	60-130	123	50-140	0	0-50
385484	Trichloroethane, 1,1,1-	<0.05 ug/g	102	60-130	98	50-140	0	0-50
385484	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	104	60-130	113	50-140	0	0-30
385484	Trichloroethane, 1,1,2-	<0.05 ug/g	103	60-130	125	50-140	0	0-50
385484	Dichloroethane, 1,1-	<0.05 ug/g	103	60-130	93	50-140	0	0-50
385484	Dichloroethylene, 1,1-	<0.05 ug/g	95	60-130	115	50-140	0	0-50
385484	Dichlorobenzene, 1,2-	<0.05 ug/g	98	60-130	128	50-140	0	0-50
385484	Dichloroethane, 1,2-	<0.05 ug/g	115	60-130	123	50-140	0	0-50
385484	Dichloropropane, 1,2-	<0.05 ug/g	112	60-130	109	50-140	0	0-50
385484	Dichlorobenzene, 1,3-	<0.05 ug/g	116	60-130	96	50-140	0	0-50
385484	Dichlorobenzene, 1,4-	<0.05 ug/g	120	60-130	121	50-140	0	0-50
385484	Benzene	<0.02 ug/g	100	60-130	129	50-140	0	0-50
385484	Bromodichloromethane	<0.05 ug/g	111	60-130	108	50-140	0	0-50
385484	Bromoform	<0.05 ug/g	104	60-130	109	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.

Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

### **Quality Assurance Summary**

<b>Batch No</b>	<b>Analyte</b>	<b>Blank</b>	<b>QC % Rec</b>	<b>QC Limits</b>	<b>Spike % Rec</b>	<b>Spike Limits</b>	<b>Dup % RPD</b>	<b>Duplicate Limits</b>
385484	Bromomethane	<0.05 ug/g	82	60-130	88	50-140	0	0-50
385484	Dichloroethylene, 1,2-cis-	<0.05 ug/g	102	60-130	125	50-140	0	0-50
385484	Dichloropropene,1,3-cis-	<0.05 ug/g	102	60-130	70	50-140	0	0-50
385484	Carbon Tetrachloride	<0.05 ug/g	103	60-130	113	50-140	0	0-50
385484	Chloroform	<0.05 ug/g	101	60-130	120	50-140	0	0-50
385484	Dibromochloromethane	<0.05 ug/g	104	60-130	123	50-140	0	0-50
385484	Dichlorodifluoromethane	<0.05 ug/g	94	60-130	92	50-140	0	0-50
385484	Methylene Chloride	<0.05 ug/g	107	60-130	118	50-140	0	0-50
385484	Ethylbenzene	<0.05 ug/g	103	60-130	109	50-140	0	0-50
385484	Ethylene dibromide	<0.05 ug/g	109	60-130		50-140		0-50
385484	Hexane (n)	<0.05 ug/g	88	60-130	103	50-140	0	0-50
385484	Xylene, m/p-	<0.05 ug/g	99	60-130	117	50-140	0	0-50
385484	Chlorobenzene	<0.05 ug/g	109	60-130	120	50-140	0	0-50
385484	Xylene, o-	<0.05 ug/g	99	60-130	120	50-140	0	0-50
385484	Styrene	<0.05 ug/g	95	60-130	115	50-140	0	0-50
385484	Dichloroethylene, 1,2-trans-	<0.05 ug/g	96	60-130	115	50-140	0	0-50
385484	Dichloropropene,1,3-trans-	<0.05 ug/g	102	60-130	97	50-140	0	0-50
385484	Tetrachloroethylene	<0.05 ug/g	100	60-130	106	50-140	0	0-50
385484	Toluene	<0.20 ug/g	102	60-130	103	50-140	0	0-50
385484	Trichloroethylene	<0.05 ug/g	110	60-130	92	50-140	0	0-50
385484	Trichlorofluoromethane	<0.05 ug/g	95	60-130	85	50-140	0	0-50
385484	Vinyl Chloride	<0.02 ug/g	103	60-130	108	50-140	0	0-50
385485	Xylene Mixture							
385487	Dichloropropene,1,3-							
385487	Acetone	<0.50 ug/g	105	60-130	89	50-140	0	0-50
385487	PHC's F1	<10 ug/g	90	80-120	93	60-140	0	0-30
385487	Methyl Ethyl Ketone	<0.50 ug/g	80	60-130	83	50-140	0	0-50
385487	Methyl Isobutyl Ketone	<0.50 ug/g	102	60-130	86	50-140	0	0-50
385487	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	95	60-130	90	50-140	0	0-50
385519	PHC's F2	<10 ug/g	88	80-120	126	60-140	0	0-30
385519	PHC's F3	<20 ug/g	88	80-120	126	60-140	0	0-30
385519	PHC's F4	<20 ug/g	88	80-120	126	60-140	0	0-30
385519	Moisture-Humidite		100	80-120			4	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942

### **Test Summary**

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	1+2-methylnaphthalene	GC-MS	2020-06-29	2020-06-29	C_M	P 8270
385094	Methylnaphthalene, 1-	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Methylnaphthalene, 2-	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Acenaphthene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Acenaphthylene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Anthracene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Benz[a]anthracene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Benzo[a]pyrene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Benzo[b]fluoranthene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Benzo[ghi]perylene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Benzo[k]fluoranthene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Chrysene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Dibenz[a h]anthracene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Fluoranthene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Fluorene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Indeno[1 2 3-cd]pyrene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Naphthalene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Phenanthrene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385094	Pyrene	GC-MS	2020-06-24	2020-06-24	C_M	P 8270
385484	Tetrachloroethane, 1,1,1,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Trichloroethane, 1,1,1-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Tetrachloroethane, 1,1,2,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Trichloroethane, 1,1,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloroethane, 1,1-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloroethylene, 1,1-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichlorobenzene, 1,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloroethane, 1,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloropropane, 1,2-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichlorobenzene, 1,3-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichlorobenzene, 1,4-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Benzene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Bromodichloromethane	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Bromoform	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Claire Finoro  
 PO#: 1801685-5002  
 Invoice to: RWDI Air Inc.

Report Number: 1932729  
 Date Submitted: 2020-06-23  
 Date Reported: 2020-06-30  
 Project: 1801685  
 COC #: 858942


### **Test Summary**

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
385484	Bromomethane	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloroethylene, 1,2-cis-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloropropene,1,3-cis-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Carbon Tetrachloride	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Chloroform	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dibromochloromethane	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichlorodifluoromethane	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Methylene Chloride	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Ethylbenzene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Ethylene dibromide	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Hexane (n)	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Xylene, m/p-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Chlorobenzene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Xylene, o-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Styrene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloroethylene, 1,2-trans-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Dichloropropene,1,3-trans-	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Tetrachloroethylene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Toluene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Trichloroethylene	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Trichlorofluoromethane	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385484	Vinyl Chloride	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385485	Xylene Mixture	GC-MS	2020-06-28	2020-06-28	TJB	V 8260B
385487	Dichloropropene,1,3-	GC-MS	2020-06-28	2020-06-28	TJB	V 8260B
385487	Acetone	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385487	PHC's F1	GC/FID	2020-06-28	2020-06-28	TJB	CCME
385487	Methyl Ethyl Ketone	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385487	Methyl Isobutyl Ketone	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385487	Methyl tert-Butyl Ether (MTBE)	GC-MS	2020-06-24	2020-06-24	TJB	V 8260B
385519	PHC's F2	GC/FID	2020-06-29	2020-06-29	A_A	CCME
385519	PHC's F3	GC/FID	2020-06-29	2020-06-29	A_A	CCME
385519	PHC's F4	GC/FID	2020-06-29	2020-06-29	A_A	CCME
385519	Moisture-Humidite	Oven	2020-06-29	2020-06-29	A_A	ASTM 2216

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

## APPENDIX D



# Certificate of Analysis

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Phil Janisse  
Invoice to: RWDI Air Inc.  
PO#:

Report Number: 1941973  
Date Submitted: 2020-10-29  
Date Reported: 2020-11-05  
Project: 1801685-8000  
COC #: 211758  
Temperature (C): 10.1  
Custody Seal:

Page 1 of 13

Dear Phil Janisse:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

## Sample Comment Summary

Sample ID: 1525427 20015	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525428 20014	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50). PAH MRL elevated due to matrix interference (dilution was done).
Sample ID: 1525429 20009	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525430 20019	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525431 20149	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525432 20026	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525433 20023	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525434 200191	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525435 SDUP1	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525436 20025	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).

Report Comments:

Long Qu, Organics Supervisor

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <http://www.cala.ca/scopes/2602.pdf>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

## O.Reg 153-T2-Res/Park-Coarse

### **Exceedence Summary**

Sample I.D.	Analyte	Result	Units	Criteria
Hydrocarbons				
20014	Petroleum Hydrocarbons F1	80	ug/g	STD 55
20014	Petroleum Hydrocarbons F2	1470	ug/g	STD 98
20014	Petroleum Hydrocarbons F3	29200	ug/g	STD 300
20014	Petroleum Hydrocarbons F4	17000	ug/g	STD 2800
20014	Petroleum Hydrocarbons F4g	49700	ug/g	STD 2800
20019	Petroleum Hydrocarbons F1	60	ug/g	STD 55
20019	Petroleum Hydrocarbons F2	920	ug/g	STD 98
20019	Petroleum Hydrocarbons F3	16100	ug/g	STD 300
20019	Petroleum Hydrocarbons F4	5280	ug/g	STD 2800
20019	Petroleum Hydrocarbons F4g	24800	ug/g	STD 2800
20023	Petroleum Hydrocarbons F2	290	ug/g	STD 98
20023	Petroleum Hydrocarbons F3	1240	ug/g	STD 300
20025	Petroleum Hydrocarbons F2	400	ug/g	STD 98
20025	Petroleum Hydrocarbons F3	790	ug/g	STD 300
20026	Petroleum Hydrocarbons F1	90	ug/g	STD 55
20026	Petroleum Hydrocarbons F2	110	ug/g	STD 98
20026	Petroleum Hydrocarbons F3	2970	ug/g	STD 300
20149	Petroleum Hydrocarbons F1	70	ug/g	STD 55
SDUP1	Petroleum Hydrocarbons F2	340	ug/g	STD 98
SDUP1	Petroleum Hydrocarbons F3	610	ug/g	STD 300
PAH				
20014	Methylnaphthalene, 1-	5.0	ug/g	STD 0.99
20014	Methylnaphthalene, 2-	6.8	ug/g	STD 0.99
20014	Acenaphthylene	<0.5	ug/g	STD 0.15
20014	Benzo[a]pyrene	<0.5	ug/g	STD 0.3
20014	Dibenz[a h]anthracene	<0.5	ug/g	STD 0.1
20014	Indeno[1 2 3-cd]pyrene	<0.5	ug/g	STD 0.38
20014	Naphthalene	2.0	ug/g	STD 0.6
20019	Methylnaphthalene, 1-	2.18	ug/g	STD 0.99
20019	Methylnaphthalene, 2-	2.11	ug/g	STD 0.99
20019	Naphthalene	0.77	ug/g	STD 0.6
20023	Methylnaphthalene, 1-	3.76	ug/g	STD 0.99
20025	Methylnaphthalene, 1-	5.34	ug/g	STD 0.99
20025	Methylnaphthalene, 2-	4.75	ug/g	STD 0.99
20025	Naphthalene	1.47	ug/g	STD 0.6
SDUP1	Methylnaphthalene, 1-	6.85	ug/g	STD 0.99
SDUP1	Methylnaphthalene, 2-	6.38	ug/g	STD 0.99
SDUP1	Naphthalene	1.94	ug/g	STD 0.6
Volatiles				

Results relate only to the parameters tested on the samples submitted.

Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Phil Janisse  
PO#:  
Invoice to: RWDI Air Inc.

Report Number: 1941973  
Date Submitted: 2020-10-29  
Date Reported: 2020-11-05  
Project: 1801685-8000  
COC #: 211758

**O.Reg 153-T2-Res/Park-Coarse*****Exceedence Summary***

Sample I.D.	Analyte	Result	Units	Criteria
20014	Xylene Mixture	3.70	ug/g	STD 3.1

Results relate only to the parameters tested on the samples submitted.  
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Hydrocarbons**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525427 Soil153 2020-10-27 20015	1525428 Soil153 2020-10-27 20014	1525429 Soil153 2020-10-27 20009	1525430 Soil153 2020-10-27 20019	1525431 Soil153 2020-10-27 20149
PHC's F1	391881	10	ug/g	STD 55	<10	80*	50	60*	70*
PHC's F1-BTEX	391888	10	ug/g		<10	80	50	60	70
PHC's F2	391775	10	ug/g	STD 98	20	1470*	70	920*	20
PHC's F3	391775	20	ug/g	STD 300	120	29200*	250	16100*	70
PHC's F4	391775	20	ug/g	STD 2800	40	17000*	90	5280*	30
PHC's F4g	391840	100	ug/g	STD 2800	100	49700*	200	24800*	200

**Hydrocarbons**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525432 Soil153 2020-10-27 20026	1525433 Soil153 2020-10-27 20023	1525434 Soil153 2020-10-27 200191	1525435 Soil153 2020-10-27 SDUP1	1525436 Soil153 2020-10-27 20025
PHC's F1	391881	10	ug/g	STD 55	90*	30	<10	<10	<10
PHC's F1-BTEX	391888	10	ug/g		90	30	<10	-<10	<10
PHC's F2	391775	10	ug/g	STD 98	110*	290*	20	340*	400*
PHC's F3	391775	20	ug/g	STD 300	2970*	1240*	180	610*	790*
PHC's F4	391775	20	ug/g	STD 2800	1550	170	40	150	190
PHC's F4g	391840	100	ug/g	STD 2800	2800	800	300	600	1100

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525427 Soil153 2020-10-27 20015	1525428 Soil153 2020-10-27 20014	1525429 Soil153 2020-10-27 20009	1525430 Soil153 2020-10-27 20019	1525431 Soil153 2020-10-27 20149
1+2-methylnaphthalene	208523	0.05	ug/g		<0.05	11.8	4.29	<0.05	<0.05
Acenaphthene	391385	0.05	ug/g	STD 7.9	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 7.9		<0.5			
Acenaphthylene	391385	0.05	ug/g	STD 0.15	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.15		<0.5*			
Anthracene	391385	0.05	ug/g	STD 0.67	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.67		<0.5			
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5	<0.05		<0.05	0.20	<0.05
		0.5	ug/g	STD 0.5		<0.5			
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.3		<0.5*			
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.78		<0.5			
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 6.6		<0.5			
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.78		<0.5			
Chrysene	391385	0.05	ug/g	STD 7	<0.05		<0.05	0.40	<0.05
		0.5	ug/g	STD 7		0.6			
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.1		<0.5*			
Fluoranthene	391385	0.05	ug/g	STD 0.69	<0.05		<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.69		<0.5			

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	Guideline	1525427 Soil153	1525428 Soil153	1525429 Soil153	1525430 Soil153	1525431 Soil153
					2020-10-27	20015	20014	20009	20019	20149
Fluorene	391385	0.05	ug/g	STD 62	<0.05		<0.05	0.05	<0.05	
		0.5	ug/g	STD 62		<0.5				
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38	<0.05		<0.05	<0.05	<0.05	<0.05
		0.5	ug/g	STD 0.38		<0.5*				
Methlynaphthalene, 1-	391385	0.05	ug/g	STD 0.99	<0.05		0.20	2.18*	<0.05	
		0.5	ug/g	STD 0.99		5.0*				
Methlynaphthalene, 2-	391385	0.05	ug/g	STD 0.99	<0.05		0.22	2.11*	<0.05	
		0.5	ug/g	STD 0.99		6.8*				
Naphthalene	391385	0.05	ug/g	STD 0.6	<0.05		0.07	0.77*	<0.05	
		0.5	ug/g	STD 0.6		2.0*				
Phenanthrene	391385	0.05	ug/g	STD 6.2	<0.05		<0.05	0.23	<0.05	
		0.5	ug/g	STD 6.2		1.1				
Pyrene	391385	0.05	ug/g	STD 78	<0.05		<0.05	<0.05	<0.05	<0.05
		0.5	ug/g	STD 78		<0.5				

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525432 Soil153 2020-10-27 20026	1525433 Soil153 2020-10-27 20023	1525434 Soil153 2020-10-27 200191	1525435 Soil153 2020-10-27 SDUP1	1525436 Soil153 2020-10-27 20025
1+2-methylnaphthalene	208523	0.05	ug/g		0.99	3.76	0.20	13.2	10.1
Acenaphthene	391385	0.05	ug/g	STD 7.9	<0.05	0.10	<0.05	0.16	0.11
Acenaphthylene	391385	0.05	ug/g	STD 0.15	<0.05	<0.05	<0.05	<0.05	<0.05
Anthracene	391385	0.05	ug/g	STD 0.67	<0.05	<0.05	<0.05	<0.05	<0.05
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5	<0.05	<0.05	<0.05	0.07	<0.05
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	<0.05	<0.05	<0.05	<0.05
Chrysene	391385	0.05	ug/g	STD 7	<0.05	<0.05	0.06	0.13	0.09
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05	<0.05	<0.05
Fluoranthene	391385	0.05	ug/g	STD 0.69	<0.05	<0.05	<0.05	<0.05	<0.05
Fluorene	391385	0.05	ug/g	STD 62	<0.05	0.10	<0.05	0.09	0.06
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38	<0.05	<0.05	<0.05	<0.05	<0.05
Methylnaphthalene, 1-	391385	0.05	ug/g	STD 0.99	0.87	3.76*	0.10	6.85*	5.34*
Methylnaphthalene, 2-	391385	0.05	ug/g	STD 0.99	0.12	<0.05	0.10	6.38*	4.75*
Naphthalene	391385	0.05	ug/g	STD 0.6	0.06	0.38	0.06	1.94*	1.47*
Phenanthrene	391385	0.05	ug/g	STD 6.2	0.18	0.35	<0.05	0.11	0.07
Pyrene	391385	0.05	ug/g	STD 78	<0.05	0.30	<0.05	0.09	<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Volatiles**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525427 Soil153 2020-10-27 20015	1525428 Soil153 2020-10-27 20014	1525429 Soil153 2020-10-27 20009	1525430 Soil153 2020-10-27 20019	1525431 Soil153 2020-10-27 20149
Benzene	391879	0.02	ug/g	STD 0.21	<0.02	<0.02	<0.02	<0.02	<0.02
Ethylbenzene	391879	0.05	ug/g	STD 1.1	<0.05	0.7	<0.05	0.5	<0.05
Toluene	391879	0.20	ug/g	STD 2.3	<0.20	<0.2	<0.20	<0.20	<0.20
Xylene Mixture	391887	0.05	ug/g	STD 3.1	<0.05	3.70*	<0.05	1.30	<0.05
Xylene, m/p-	391879	0.05	ug/g		<0.05	2.1	<0.05	1.0	<0.05
Xylene, o-	391879	0.05	ug/g		<0.05	1.6	<0.05	0.3	<0.05

**Volatiles**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525432 Soil153 2020-10-27 20026	1525433 Soil153 2020-10-27 20023	1525434 Soil153 2020-10-27 200191	1525435 Soil153 2020-10-27 SDUP1	1525436 Soil153 2020-10-27 20025
Benzene	391879	0.02	ug/g	STD 0.21	<0.02	<0.02	<0.02	<0.02	<0.02
Ethylbenzene	391879	0.05	ug/g	STD 1.1	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	391879	0.20	ug/g	STD 2.3	<0.20	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	391887	0.05	ug/g	STD 3.1	<0.05	<0.05	<0.05	0.30	<0.05
Xylene, m/p-	391879	0.05	ug/g		<0.05	<0.05	<0.05	0.3	<0.05
Xylene, o-	391879	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Moisture**

Analyte	Batch No	MRL	Units	Lab I.D.	1525427 Soil153	1525428 Soil153	1525429 Soil153	1525430 Soil153	1525431 Soil153	
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
Moisture-Humidite	391775	0.1	%		20015	2020-10-27	20014	20009	20019	20149

**Moisture**

Analyte	Batch No	MRL	Units	Lab I.D.	1525432 Soil153	1525433 Soil153	1525434 Soil153	1525435 Soil153	1525436 Soil153	
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
Moisture-Humidite	391775	0.1	%		20026	2020-10-27	20023	200191	SDUP1	20025

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1525427 Soil153	1525428 Soil153	1525429 Soil153	1525430 Soil153	1525431 Soil153
				Guideline					
Alpha-androstrane	208523	1	%		2020-10-27	2020-10-27	2020-10-27	2020-10-27	2020-10-27
	391775	0	%		20015	20014	20009	20019	20149

**PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1525432 Soil153	1525433 Soil153	1525434 Soil153	1525435 Soil153	1525436 Soil153
				Guideline					
Alpha-androstrane	208523	1	%		2020-10-27	2020-10-27	2020-10-27	2020-10-27	2020-10-27
	391775	0	%		20026	20023	200191	SDUP1	20025

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525427 Soil153 2020-10-27 20015	1525428 Soil153 2020-10-27 20014	1525429 Soil153 2020-10-27 20009	1525430 Soil153 2020-10-27 20019	1525431 Soil153 2020-10-27 20149
Toluene-d8	391879	0	%		90	86	90	90	93

**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525432 Soil153 2020-10-27 20026	1525433 Soil153 2020-10-27 20023	1525434 Soil153 2020-10-27 200191	1525435 Soil153 2020-10-27 SDUP1	1525436 Soil153 2020-10-27 20025
Toluene-d8	391879	0	%		93	94	90	90	89

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

### **Quality Assurance Summary**

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	1+2-methylnaphthalene							
391385	Methylnaphthalene, 1-	<0.05 ug/g	83	50-140	68	50-140	0	0-40
391385	Methylnaphthalene, 2-	<0.05 ug/g	82	50-140	67	50-140	0	0-40
391385	Acenaphthene	<0.05 ug/g	78	50-140	63	50-140	0	0-40
391385	Acenaphthylene	<0.05 ug/g	66	50-140	63	50-140	0	0-40
391385	Anthracene	<0.05 ug/g	82	50-140	63	50-140	0	0-40
391385	Benz[a]anthracene	<0.05 ug/g	72	50-140	61	50-140	0	0-40
391385	Benzo[a]pyrene	<0.05 ug/g	56	50-140	55	50-140	0	0-40
391385	Benzo[b]fluoranthene	<0.05 ug/g	70	50-140	48	50-140	0	0-40
391385	Benzo[ghi]perylene	<0.05 ug/g	65	50-140	60	50-140	0	0-40
391385	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	81		0	0-40
391385	Chrysene	<0.05 ug/g	92	50-140	73	50-140	0	0-40
391385	Dibenz[a h]anthracene	<0.05 ug/g	65	50-140	54	50-140	0	0-40
391385	Fluoranthene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391385	Fluorene	<0.05 ug/g	78	50-140	60	50-140	0	0-40
391385	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	58	50-140	61	50-140	0	0-40
391385	Naphthalene	<0.05 ug/g	79	50-140	66	50-140	0	0-40
391385	Phenanthrene	<0.05 ug/g	81	50-140	62	50-140	0	0-40
391385	Pyrene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391775	PHC's F2	<10 ug/g	108	80-120	126	60-140	0	0-30
391775	PHC's F3	<20 ug/g	108	80-120	126	60-140	0	0-30
391775	PHC's F4	<20 ug/g	108	80-120	126	60-140	0	0-30
391775	Moisture-Humidite		100	80-120			5	
391840	PHC's F4g	<100 ug/g		80-120		60-140		0-30
391879	Benzene	<0.02 ug/g	117	60-130	101	50-140	0	0-50
391879	Ethylbenzene	<0.05 ug/g	96	60-130	96	50-140	0	0-50
391879	Xylene, m/p-	<0.05 ug/g	99	60-130	98	50-140	0	0-50
391879	Xylene, o-	<0.05 ug/g	101	60-130	100	50-140	0	0-50
391879	Toluene	<0.20 ug/g	115	60-130	104	50-140	0	0-50
391881	PHC's F1	<10 ug/g	112	80-120	106	60-140		0-30
391887	Xylene Mixture							
391888	PHC's F1-BTEX							

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1941973  
 Date Submitted: 2020-10-29  
 Date Reported: 2020-11-05  
 Project: 1801685-8000  
 COC #: 211758

### **Test Summary**

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	1+2-methylnaphthalene	GC-MS	2020-11-04	2020-11-04	C_M	P 8270
391385	Methylnaphthalene, 1-	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Methylnaphthalene, 2-	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Acenaphthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Acenaphthylene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benz[a]anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[a]pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[b]fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[ghi]perylene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[k]fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Chrysene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Dibenz[a h]anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Fluorene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Indeno[1 2 3-cd]pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Naphthalene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Phenanthrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391775	PHC's F2	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	PHC's F3	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	PHC's F4	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	Moisture-Humidite	Oven	2020-11-02	2020-11-03	C_M	ASTM 2216
391840	PHC's F4g	GC/FID	2020-11-04	2020-11-04	A_A	CCME
391879	Benzene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Ethylbenzene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Xylene, m/p-	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Xylene, o-	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Toluene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391881	PHC's F1	GC/FID	2020-10-30	2020-10-31	YH	CCME
391887	Xylene Mixture	GC-MS	2020-11-05	2020-11-05	YH	V 8260B
391888	PHC's F1-BTEX	GC/FID	2020-11-05	2020-11-05	YH	CCME

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5

Attention: Mr. Phil Janisse

Invoice to: RWDI Air Inc.

PO#:

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769  
 Temperature (C): 12.1  
 Custody Seal:

Page 1 of 16

**Dear Phil Janisse:**

**Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).**

### **Sample Comment Summary**

Sample ID: 1525794 20187	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525795 20174	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525797 20080	The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525798 20094	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525799 20071	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525800 20112	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525801 20110	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525802 SDUP2	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525803 SDUP3	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525804 20117	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525805 20168	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525806 20095	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).
Sample ID: 1525807 20170	Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).

Report Comments: Sample ID: 1525806 20095 Surrogate recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).

Long Qu, Organics Supervisor

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <http://www.cala.ca/scopes/2602.pdf>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

## O.Reg 153-T2-Res/Park-Coarse

### **Exceedence Summary**

Sample I.D.	Analyte	Result	Units	Criteria
Hydrocarbons				
20069	Petroleum Hydrocarbons F1	110	ug/g	STD 55
20071	Petroleum Hydrocarbons F1	180	ug/g	STD 55
20071	Petroleum Hydrocarbons F2	1410	ug/g	STD 98
20071	Petroleum Hydrocarbons F3	5410	ug/g	STD 300
20071	Petroleum Hydrocarbons F4g	11000	ug/g	STD 2800
20094	Petroleum Hydrocarbons F1	380	ug/g	STD 55
20094	Petroleum Hydrocarbons F2	1830	ug/g	STD 98
20094	Petroleum Hydrocarbons F3	4030	ug/g	STD 300
20094	Petroleum Hydrocarbons F4g	6900	ug/g	STD 2800
20095	Petroleum Hydrocarbons F2	270	ug/g	STD 98
20095	Petroleum Hydrocarbons F3	520	ug/g	STD 300
20095	Petroleum Hydrocarbons F4g	4500	ug/g	STD 2800
20110	Petroleum Hydrocarbons F1	410	ug/g	STD 55
20110	Petroleum Hydrocarbons F2	7220	ug/g	STD 98
20110	Petroleum Hydrocarbons F3	24400	ug/g	STD 300
20110	Petroleum Hydrocarbons F4	11000	ug/g	STD 2800
20110	Petroleum Hydrocarbons F4g	14300	ug/g	STD 2800
20112	Petroleum Hydrocarbons F1	360	ug/g	STD 55
20112	Petroleum Hydrocarbons F2	10200	ug/g	STD 98
20112	Petroleum Hydrocarbons F3	24900	ug/g	STD 300
20112	Petroleum Hydrocarbons F4	10100	ug/g	STD 2800
20112	Petroleum Hydrocarbons F4g	56400	ug/g	STD 2800
20117	Petroleum Hydrocarbons F1	600	ug/g	STD 55
20117	Petroleum Hydrocarbons F2	2300	ug/g	STD 98
20117	Petroleum Hydrocarbons F3	3460	ug/g	STD 300
20117	Petroleum Hydrocarbons F4g	5500	ug/g	STD 2800
20168	Petroleum Hydrocarbons F1	240	ug/g	STD 55
20168	Petroleum Hydrocarbons F2	1770	ug/g	STD 98
20168	Petroleum Hydrocarbons F3	11000	ug/g	STD 300
20168	Petroleum Hydrocarbons F4	6480	ug/g	STD 2800
20168	Petroleum Hydrocarbons F4g	21800	ug/g	STD 2800
20170	Petroleum Hydrocarbons F2	830	ug/g	STD 98
20170	Petroleum Hydrocarbons F3	19600	ug/g	STD 300
20170	Petroleum Hydrocarbons F4	13000	ug/g	STD 2800
20170	Petroleum Hydrocarbons F4g	48500	ug/g	STD 2800
20174	Petroleum Hydrocarbons F2	980	ug/g	STD 98
20174	Petroleum Hydrocarbons F3	28600	ug/g	STD 300
20174	Petroleum Hydrocarbons F4	15100	ug/g	STD 2800
20174	Petroleum Hydrocarbons F4g	71700	ug/g	STD 2800

Results relate only to the parameters tested on the samples submitted.

Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

## O.Reg 153-T2-Res/Park-Coarse

### **Exceedence Summary**

Sample I.D.	Analyte	Result	Units	Criteria
20187	Petroleum Hydrocarbons F2	910	ug/g	STD 98
20187	Petroleum Hydrocarbons F3	10300	ug/g	STD 300
20187	Petroleum Hydrocarbons F4	5020	ug/g	STD 2800
20187	Petroleum Hydrocarbons F4g	23400	ug/g	STD 2800
SDUP2	Petroleum Hydrocarbons F2	960	ug/g	STD 98
SDUP2	Petroleum Hydrocarbons F3	26500	ug/g	STD 300
SDUP2	Petroleum Hydrocarbons F4	16700	ug/g	STD 2800
SDUP2	Petroleum Hydrocarbons F4g	67400	ug/g	STD 2800
SDUP3	Petroleum Hydrocarbons F1	430	ug/g	STD 55
SDUP3	Petroleum Hydrocarbons F2	5170	ug/g	STD 98
SDUP3	Petroleum Hydrocarbons F3	9550	ug/g	STD 300
SDUP3	Petroleum Hydrocarbons F4	4090	ug/g	STD 2800
SDUP3	Petroleum Hydrocarbons F4g	19900	ug/g	STD 2800
PAH				
20095	Methylnaphthalene, 1-	1.01	ug/g	STD 0.99
20112	Methylnaphthalene, 1-	3.32	ug/g	STD 0.99
20112	Methylnaphthalene, 2-	4.89	ug/g	STD 0.99
20112	Naphthalene	42.9	ug/g	STD 0.6
20117	Methylnaphthalene, 1-	1.00	ug/g	STD 0.99
20117	Methylnaphthalene, 2-	1.75	ug/g	STD 0.99
20117	Naphthalene	25.9	ug/g	STD 0.6
Volatiles				
20110	Benzene	0.25	ug/g	STD 0.21
20110	Ethylbenzene	5.28	ug/g	STD 1.1
20110	Toluene	3.40	ug/g	STD 2.3
20110	Xylene Mixture	28.7	ug/g	STD 3.1
20112	Ethylbenzene	4.1	ug/g	STD 1.1
20112	Xylene Mixture	26.2	ug/g	STD 3.1
20117	Ethylbenzene	5.0	ug/g	STD 1.1
20117	Xylene Mixture	23.3	ug/g	STD 3.1
20168	Ethylbenzene	3.4	ug/g	STD 1.1
20168	Xylene Mixture	9.40	ug/g	STD 3.1
SDUP2	Benzene	0.22	ug/g	STD 0.21
SDUP3	Benzene	0.24	ug/g	STD 0.21
SDUP3	Ethylbenzene	6.2	ug/g	STD 1.1
SDUP3	Toluene	4.1	ug/g	STD 2.3
SDUP3	Xylene Mixture	35.6	ug/g	STD 3.1

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Hydrocarbons**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525794 Soil153 2020-10-28 20187	1525795 Soil153 2020-10-28 20174	1525796 Soil153 2020-10-28 1201A	1525797 Soil153 2020-10-28 20080	1525798 Soil153 2020-10-28 20094
PHC's F1	391976	10	ug/g	STD 55	<10	20	10	<10	380*
PHC's F1-BTEX	391978	10	ug/g		<10	20	10	<10	380
PHC's F2	391775	10	ug/g	STD 98	910*	980*	<10	20	1830*
PHC's F3	391775	20	ug/g	STD 300	10300*	28600*	<20	120	4030*
PHC's F4	391775	20	ug/g	STD 2800	5020*	15100*	<20	50	1620
PHC's F4g	391840	100	ug/g	STD 2800	23400*	71700*		500	6900*

**Hydrocarbons**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525799 Soil153 2020-10-28 20071	1525800 Soil153 2020-10-28 20112	1525801 Soil153 2020-10-28 20110	1525802 Soil153 2020-10-28 SDUP2	1525803 Soil153 2020-10-28 SDUP3
PHC's F1	391976	10	ug/g	STD 55	180*	360*	410*	40	430*
PHC's F1-BTEX	391978	10	ug/g		180	330	370	40	380
PHC's F2	391775	10	ug/g	STD 98	1410*	10200*	7220*	960*	5170*
PHC's F3	391775	20	ug/g	STD 300	5410*	24900*	24400*	26500*	9550*
PHC's F4	391775	20	ug/g	STD 2800	2510	10100*	11000*	16700*	4090*
PHC's F4g	391840	100	ug/g	STD 2800	11000*	56400*	14300*	67400*	19900*

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Hydrocarbons**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525804 Soil153 2020-10-28 20117	1525805 Soil153 2020-10-28 20168	1525806 Soil153 2020-10-28 20095	1525807 Soil153 2020-10-28 20170	1525808 Soil153 2020-10-28 20069
PHC's F1	391976	10	ug/g	STD 55	600*	240*	50	30	110*
PHC's F1-BTEX	391978	10	ug/g		570	230	50	30	110
PHC's F2	391775	10	ug/g	STD 98	2300*	1770*	270*	830*	20
PHC's F3	391775	20	ug/g	STD 300	3460*	11000*	520*	19600*	60
PHC's F4	391775	20	ug/g	STD 2800	1310	6480*	210	13000*	<20
PHC's F4g	391840	100	ug/g	STD 2800	5500*	21800*	4500*	48500*	

**PAH**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525794 Soil153 2020-10-28 20187	1525795 Soil153 2020-10-28 20174	1525796 Soil153 2020-10-28 1201A	1525797 Soil153 2020-10-28 20080	1525798 Soil153 2020-10-28 20094
1+2-methylnaphthalene	208523	0.05	ug/g		<0.05	0.25	<0.05	<0.05	0.93
Acenaphthene	391385	0.05	ug/g	STD 7.9	<0.05	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	391385	0.05	ug/g	STD 0.15	<0.05	<0.05	<0.05	<0.05	<0.05
Anthracene	391385	0.05	ug/g	STD 0.67	<0.05	<0.05	<0.05	<0.05	0.13
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5	<0.05	<0.05	<0.05	<0.05	0.44
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3	<0.05	0.29	<0.05	<0.05	<0.05
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	0.10	<0.05	<0.05	<0.05
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	<0.05	<0.05	<0.05	0.14
Chrysene	391385	0.05	ug/g	STD 7	<0.05	<0.05	<0.05	<0.05	0.42
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05	<0.05	<0.05
Fluoranthene	391385	0.05	ug/g	STD 0.69	0.17	<0.05	<0.05	<0.05	<0.05
Fluorene	391385	0.05	ug/g	STD 62	<0.05	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1525794 Soil153	1525795 Soil153	1525796 Soil153	1525797 Soil153	1525798 Soil153
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38	2020-10-28	<0.05	<0.05	<0.05	<0.05	<0.05
Methlynaphthalene, 1-	391385	0.05	ug/g	STD 0.99	20187	<0.05	0.13	<0.05	<0.05	0.93
Methlynaphthalene, 2-	391385	0.05	ug/g	STD 0.99	20174	<0.05	0.12	<0.05	<0.05	<0.05
Naphthalene	391385	0.05	ug/g	STD 0.6	1201A	<0.05	0.06	<0.05	<0.05	<0.05
Phenanthrene	391385	0.05	ug/g	STD 6.2	20080	<0.05	<0.05	<0.05	<0.05	0.60
Pyrene	391385	0.05	ug/g	STD 78	20094	0.17	<0.05	<0.05	<0.05	0.48

**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1525799 Soil153	1525800 Soil153
1+2-methylnaphthalene	208523	0.05	ug/g		2020-10-28	20071	2020-10-28
	391875	0.05	ug/g				8.21
Acenaphthene	391385	0.05	ug/g	STD 7.9	<0.05	<0.05	
Acenaphthylene	391385	0.05	ug/g	STD 0.15	<0.05	<0.05	
Anthracene	391385	0.05	ug/g	STD 0.67	<0.05	<0.05	
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5	<0.05	0.42	
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3	<0.05	<0.05	
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	<0.05	
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6	<0.05	<0.05	
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78	<0.05	<0.05	
Chrysene	391385	0.05	ug/g	STD 7	<0.05	0.38	
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1	<0.05	<0.05	
Fluoranthene	391385	0.05	ug/g	STD 0.69	<0.05	<0.05	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	1525799	1525800
Fluorene	391385	0.05	ug/g	STD 62				2020-10-28		20071	Soil153	Soil153
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38						2020-10-28		
Methlynaphthalene, 1-	391385	0.05	ug/g	STD 0.99						20071		20112
Methlynaphthalene, 2-	391385	0.05	ug/g	STD 0.99								
Naphthalene	391385	0.05	ug/g	STD 0.6						0.40		42.9*
Phenanthrene	391385	0.05	ug/g	STD 6.2						<0.05		1.45
Pyrene	391385	0.05	ug/g	STD 78						<0.05		0.72

**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	1525804	1525806	1525808
1+2-methylnaphthalene	208523	0.05	ug/g					2020-10-28		20117	Soil153	Soil153	Soil153
Acenaphthene	391385	0.05	ug/g	STD 7.9						20095		2020-10-28	2020-10-28
Acenaphthylene	391385	0.05	ug/g	STD 0.15									
Anthracene	391385	0.05	ug/g	STD 0.67						0.13			<0.05
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5						0.27			<0.05
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3						<0.05			<0.05
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78						<0.05			<0.05
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6						<0.05			<0.05
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78						0.07			<0.05
Chrysene	391385	0.05	ug/g	STD 7						0.36			<0.05
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1						<0.05			<0.05
Fluoranthene	391385	0.05	ug/g	STD 0.69						<0.05			<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1525804 Soil153	1525806 Soil153	1525808 Soil153
Fluorene	391385	0.05	ug/g	STD 62	<0.05	<0.05	<0.05	
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38	<0.05	<0.05	<0.05	
Methlynaphthalene, 1-	391385	0.05	ug/g	STD 0.99	1.00*	1.01*	<0.05	
Methlynaphthalene, 2-	391385	0.05	ug/g	STD 0.99	1.75*	0.06	<0.05	
Naphthalene	391385	0.05	ug/g	STD 0.6	25.9*	<0.05	<0.05	
Phenanthrene	391385	0.05	ug/g	STD 6.2	<0.05	0.52	<0.05	
Pyrene	391385	0.05	ug/g	STD 78	<0.05	0.39	<0.05	

**Volatiles**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1525794 Soil153	1525795 Soil153	1525796 Soil153	1525797 Soil153	1525798 Soil153
Benzene	391879	0.02	ug/g	STD 0.21	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Ethylbenzene	391879	0.05	ug/g	STD 1.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	391879	0.20	ug/g	STD 2.3	<0.20	0.21	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	391977	0.05	ug/g	STD 3.1	<0.05	0.73	<0.05	<0.05	<0.05	<0.05
Xylene, m/p-	391879	0.05	ug/g		<0.05	0.46	<0.05	<0.05	<0.05	<0.05
Xylene, o-	391879	0.05	ug/g		<0.05	0.27	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Phil Janisse  
PO#:  
Invoice to: RWDI Air Inc.

Report Number: 1942104  
Date Submitted: 2020-10-30  
Date Reported: 2020-11-06  
Project: 1801685-8000  
COC #: 211769

### **Guideline = O.Reg 153-T2-Res/Park-Coarse**

#### **Volatiles**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525799 Soil153 2020-10-28 20071	1525800 Soil153 2020-10-28 20112	1525801 Soil153 2020-10-28 20110	1525802 Soil153 2020-10-28 SDUP2	1525803 Soil153 2020-10-28 SDUP3
Benzene	391879	0.02	ug/g	STD 0.21	<0.02	0.12	0.25*	0.22*	0.24*
Ethylbenzene	391879	0.05	ug/g	STD 1.1	<0.05	4.1*	5.28*	0.21	6.2*
Toluene	391879	0.20	ug/g	STD 2.3	<0.20	1.9	3.40*	0.52	4.1*
Xylene Mixture	391977	0.05	ug/g	STD 3.1	<0.05	26.2*	28.7*	1.83	35.6*
Xylene, m/p-	391879	0.05	ug/g		<0.05	15.4	17.1	1.16	20.6
Xylene, o-	391879	0.05	ug/g		<0.05	10.8	11.6	0.67	15.0

#### **Volatiles**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525804 Soil153 2020-10-28 20117	1525805 Soil153 2020-10-28 20168	1525806 Soil153 2020-10-28 20095	1525807 Soil153 2020-10-28 20170	1525808 Soil153 2020-10-28 20069
Benzene	391879	0.02	ug/g	STD 0.21	<0.02	0.19	<0.02	0.16	<0.02
Ethylbenzene	391879	0.05	ug/g	STD 1.1	5.0*	3.4*	<0.05	0.62	<0.05
Toluene	391879	0.20	ug/g	STD 2.3	1.3	0.34	<0.20	0.30	<0.20
Xylene Mixture	391977	0.05	ug/g	STD 3.1	23.3*	9.40*	<0.05	2.80	<0.05
Xylene, m/p-	391879	0.05	ug/g		14.0	6.7	<0.05	1.1	<0.05
Xylene, o-	391879	0.05	ug/g		9.3	2.7	<0.05	1.7	<0.05

Results relate only to the parameters tested on the samples submitted.  
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Moisture**

Analyte	Batch No	MRL	Units	Lab I.D.	1525794 Soil153	1525795 Soil153	1525796 Soil153	1525797 Soil153	1525798 Soil153		
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	Sample I.D.		
Moisture-Humidite	391775	0.1	%		20187	2020-10-28	20174	1201A	20080	2020-10-28	20094

**Moisture**

Analyte	Batch No	MRL	Units	Lab I.D.	1525799 Soil153	1525800 Soil153	1525801 Soil153	1525802 Soil153	1525803 Soil153		
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	Sample I.D.		
Moisture-Humidite	391775	0.1	%		20071	2020-10-28	20112	20110	SDUP2	2020-10-28	SDUP3

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

## Environment Testing

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

### **Guideline = O.Reg 153-T2-Res/Park-Coarse**

#### **Moisture**

Analyte	Batch No	MRL	Units	Lab I.D.	1525804 Soil153	1525805 Soil153	1525806 Soil153	1525807 Soil153	1525808 Soil153	
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
Moisture-Humidite	391775	0.1	%		20117	2020-10-28	20168	20095	20170	20069

#### **PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1525794 Soil153	1525795 Soil153	1525796 Soil153	1525797 Soil153	1525798 Soil153	
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
Alpha-androstrane	208523	1	%		20187	2020-10-28	20174	1201A	20080	20094
	391775	0	%		NA	NA		62	63	NA

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1525799 Soil153	1525800 Soil153	1525801 Soil153	1525802 Soil153	1525803 Soil153
				Guideline					
Alpha-androstrane	208523	1	%		20071	20112	20110	SDUP2	SDUP3

**PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D.	1525804 Soil153	1525805 Soil153	1525806 Soil153	1525807 Soil153	1525808 Soil153
				Guideline					
Alpha-androstrane	208523	1	%		20117	20168	20095	20170	20069
	391775	0	%						61

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525794 Soil153 2020-10-28 20187	1525795 Soil153 2020-10-28 20174	1525796 Soil153 2020-10-28 1201A	1525797 Soil153 2020-10-28 20080	1525798 Soil153 2020-10-28 20094
Toluene-d8	391879	0	%		90	89	90	90	98

**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1525799 Soil153 2020-10-28 20071	1525800 Soil153 2020-10-28 20112	1525801 Soil153 2020-10-28 20110	1525802 Soil153 2020-10-28 SDUP2	1525803 Soil153 2020-10-28 SDUP3
Toluene-d8	391879	0	%		92	93	97	91	95

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Lab I.D.	1525804 Soil153	1525805 Soil153	1525806 Soil153	1525807 Soil153	1525808 Soil153		
				Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.			
Toluene-d8	391879	0	%		20117	2020-10-28	2020-10-28	20095	20170	2020-10-28	20069
					98	20168		89	92		84

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

### **Quality Assurance Summary**

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	1+2-methylnaphthalene							
391385	Methylnaphthalene, 1-	<0.05 ug/g	83	50-140	68	50-140	0	0-40
391385	Methylnaphthalene, 2-	<0.05 ug/g	82	50-140	67	50-140	0	0-40
391385	Acenaphthene	<0.05 ug/g	78	50-140	63	50-140	0	0-40
391385	Acenaphthylene	<0.05 ug/g	66	50-140	63	50-140	0	0-40
391385	Anthracene	<0.05 ug/g	82	50-140	63	50-140	0	0-40
391385	Benz[a]anthracene	<0.05 ug/g	72	50-140	61	50-140	0	0-40
391385	Benzo[a]pyrene	<0.05 ug/g	56	50-140	55	50-140	0	0-40
391385	Benzo[b]fluoranthene	<0.05 ug/g	70	50-140	48	50-140	0	0-40
391385	Benzo[ghi]perylene	<0.05 ug/g	65	50-140	60	50-140	0	0-40
391385	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	81		0	0-40
391385	Chrysene	<0.05 ug/g	92	50-140	73	50-140	0	0-40
391385	Dibenz[a h]anthracene	<0.05 ug/g	65	50-140	54	50-140	0	0-40
391385	Fluoranthene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391385	Fluorene	<0.05 ug/g	78	50-140	60	50-140	0	0-40
391385	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	58	50-140	61	50-140	0	0-40
391385	Naphthalene	<0.05 ug/g	79	50-140	66	50-140	0	0-40
391385	Phenanthrene	<0.05 ug/g	81	50-140	62	50-140	0	0-40
391385	Pyrene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391775	PHC's F2	<10 ug/g	108	80-120	126	60-140	0	0-30
391775	PHC's F3	<20 ug/g	108	80-120	126	60-140	0	0-30
391775	PHC's F4	<20 ug/g	108	80-120	126	60-140	0	0-30
391775	Moisture-Humidite		100	80-120			5	
391840	PHC's F4g	<100 ug/g		80-120		60-140		0-30
391875	1+2-methylnaphthalene							
391879	Benzene	<0.02 ug/g	117	60-130	101	50-140	0	0-50
391879	Ethylbenzene	<0.05 ug/g	96	60-130	96	50-140	0	0-50
391879	Xylene, m/p-	<0.05 ug/g	99	60-130	98	50-140	0	0-50
391879	Xylene, o-	<0.05 ug/g	101	60-130	100	50-140	0	0-50
391879	Toluene	<0.20 ug/g	115	60-130	104	50-140	0	0-50
391976	PHC's F1	<10 ug/g	112	80-120	106	60-140		0-30
391977	Xylene Mixture							
391978	PHC's F1-BTEX							

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#:  
 Invoice to: RWDI Air Inc.

Report Number: 1942104  
 Date Submitted: 2020-10-30  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 211769

### **Test Summary**

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	1+2-methylnaphthalene	GC-MS	2020-11-04	2020-11-04	C_M	P 8270
391385	Methylnaphthalene, 1-	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Methylnaphthalene, 2-	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Acenaphthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Acenaphthylene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benz[a]anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[a]pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[b]fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[ghi]perylene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Benzo[k]fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Chrysene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Dibenz[a h]anthracene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Fluoranthene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Fluorene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Indeno[1 2 3-cd]pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Naphthalene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Phenanthrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391385	Pyrene	GC-MS	2020-11-02	2020-11-03	C_M	P 8270
391775	PHC's F2	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	PHC's F3	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	PHC's F4	GC/FID	2020-11-02	2020-11-03	C_M	CCME
391775	Moisture-Humidite	Oven	2020-11-02	2020-11-03	C_M	ASTM 2216
391840	PHC's F4g	GC/FID	2020-11-04	2020-11-04	A_A	CCME
391875	1+2-methylnaphthalene	GC-MS	2020-11-06	2020-11-06	AET	P 8270
391879	Benzene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Ethylbenzene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Xylene, m/p-	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Xylene, o-	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391879	Toluene	GC-MS	2020-10-30	2020-10-31	YH	V 8260B
391976	PHC's F1	GC/FID	2020-10-30	2020-10-31	YH	CCME
391977	Xylene Mixture	GC-MS	2020-11-06	2020-11-06	YH	V 8260B
391978	PHC's F1-BTEX	GC/FID	2020-11-06	2020-11-06	YH	CCME

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Phil Janisse  
Invoice to: RWDI Air Inc.  
PO#: 1801685

Report Number: 1942165  
Date Submitted: 2020-11-02  
Date Reported: 2020-11-06  
Project: 1801685-8000  
COC #: 191453  
Temperature (C): 6  
Custody Seal:

Page 1 of 10

---

Dear Phil Janisse:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

### ***Sample Comment Summary***

Sample ID: 1526048 20123-2 CCME recoveries are not within acceptable limits due to matrix interferences. The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50).

Report Comments:

---

Long Qu, Organics Supervisor

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <http://www.cala.ca/scopes/2602.pdf>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: RWDI Air Inc  
4510 Rhodes Drive, Unit 530  
Windsor, ON  
N8W 5K5  
Attention: Mr. Phil Janisse  
PO#: 1801685  
Invoice to: RWDI Air Inc.

Report Number: 1942165  
Date Submitted: 2020-11-02  
Date Reported: 2020-11-06  
Project: 1801685-8000  
COC #: 191453

**O.Reg 153-T2-Res/Park-Coarse*****Exceedence Summary***

Sample I.D.	Analyte	Result	Units	Criteria
Hydrocarbons 20123-2	Petroleum Hydrocarbons F3	1330	ug/g	STD 300

Results relate only to the parameters tested on the samples submitted.  
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Hydrocarbons**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	1526045	1526046	1526047	1526048
PHC's F1	391976	10	ug/g	STD 55				2020-10-29		20037-2	<10	<10	<10	<10
PHC's F1-BTEX	392008	10	ug/g								<10	<10	<10	<10
PHC's F2	391878	10	ug/g	STD 98				20037-2		20066-2	10	<10	<10	
	391981	10	ug/g	STD 98										90
PHC's F3	391878	20	ug/g	STD 300				20037-2		20070-2	70	<20	<20	
	391981	20	ug/g	STD 300										1330*
PHC's F4	391878	20	ug/g	STD 2800				20037-2		20070-2	30	<20	<20	
	391981	20	ug/g	STD 2800										680
PHC's F4g	391996	100	ug/g	STD 2800										1400

**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	1526045	1526046	1526047	1526048
1+2-methylnaphthalene	208523	0.05	ug/g					2020-10-29		20037-2	<0.05	<0.05	<0.05	
Acenaphthene	391385	0.05	ug/g	STD 7.9						20066-2	<0.05	<0.05	<0.05	
Acenaphthylene	391385	0.05	ug/g	STD 0.15						20070-2	<0.05	<0.05	<0.05	
Anthracene	391385	0.05	ug/g	STD 0.67							<0.05	<0.05	<0.05	
Benz[a]anthracene	391385	0.05	ug/g	STD 0.5							<0.05	<0.05	<0.05	
Benzo[a]pyrene	391385	0.05	ug/g	STD 0.3							<0.05	0.07	<0.05	
Benzo[b]fluoranthene	391385	0.05	ug/g	STD 0.78							<0.05	<0.05	<0.05	
Benzo[ghi]perylene	391385	0.05	ug/g	STD 6.6							<0.05	<0.05	<0.05	
Benzo[k]fluoranthene	391385	0.05	ug/g	STD 0.78							<0.05	<0.05	<0.05	
Chrysene	391385	0.05	ug/g	STD 7							<0.05	<0.05	<0.05	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**PAH**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1526045 Soil153	1526046 Soil153	1526047 Soil153
Dibenz[a h]anthracene	391385	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05	
Fluoranthene	391385	0.05	ug/g	STD 0.69	<0.05	<0.05	<0.05	
Fluorene	391385	0.05	ug/g	STD 62	<0.05	<0.05	<0.05	
Indeno[1 2 3-cd]pyrene	391385	0.05	ug/g	STD 0.38	<0.05	<0.05	<0.05	
Methylnaphthalene, 1-	391385	0.05	ug/g	STD 0.99	<0.05	<0.05	<0.05	
Methylnaphthalene, 2-	391385	0.05	ug/g	STD 0.99	<0.05	<0.05	<0.05	
Naphthalene	391385	0.05	ug/g	STD 0.6	0.12	0.07	<0.05	
Phenanthrene	391385	0.05	ug/g	STD 6.2	<0.05	<0.05	<0.05	
Pyrene	391385	0.05	ug/g	STD 78	<0.05	<0.05	<0.05	

**Volatiles**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1526045 Soil153	1526046 Soil153	1526047 Soil153	1526048 Soil153
Benzene	392000	0.02	ug/g	STD 0.21	<0.02	<0.02	<0.02	<0.02	
Ethylbenzene	392000	0.05	ug/g	STD 1.1	<0.05	<0.05	<0.05	<0.05	
Toluene	392000	0.20	ug/g	STD 2.3	<0.20	<0.20	<0.20	<0.20	
Xylene Mixture	392007	0.05	ug/g	STD 3.1	<0.05	<0.05	<0.05	<0.05	
Xylene, m/p-	392000	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	
Xylene, o-	392000	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**Moisture**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1526045 Soil153	1526046 Soil153	1526047 Soil153	1526048 Soil153
Moisture-Humidite	391878	0.1	%	2020-10-29	20037-2	2020-10-29	20066-2	2020-10-29
	391981	0.1	%				20070-2	20123-2

**PHC Surrogate**

Analyte	Batch No	MRL	Units	Lab I.D. Sample Matrix Sample Type Sample Date Sampling Time Sample I.D.	1526045 Soil153	1526046 Soil153	1526047 Soil153	1526048 Soil153
Alpha-androstrane	208523	1	%	2020-10-29	20037-2	2020-10-29	20066-2	2020-10-29
	391878	0	%			70	60	64

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

**Guideline = O.Reg 153-T2-Res/Park-Coarse**
**VOCs Surrogates**

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.	1526045	1526046	1526047	1526048
Toluene-d8	392000	0	%		Soil153	Soil153	Soil153	2020-10-29	2020-10-29	20037-2	20066-2	20070-2	20123-2	

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

### **Quality Assurance Summary**

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	1+2-methylnaphthalene							
391385	Methylnaphthalene, 1-	<0.05 ug/g	83	50-140	68	50-140	0	0-40
391385	Methylnaphthalene, 2-	<0.05 ug/g	82	50-140	67	50-140	0	0-40
391385	Acenaphthene	<0.05 ug/g	78	50-140	63	50-140	0	0-40
391385	Acenaphthylene	<0.05 ug/g	66	50-140	63	50-140	0	0-40
391385	Anthracene	<0.05 ug/g	82	50-140	63	50-140	0	0-40
391385	Benz[a]anthracene	<0.05 ug/g	72	50-140	61	50-140	0	0-40
391385	Benzo[a]pyrene	<0.05 ug/g	56	50-140	55	50-140	0	0-40
391385	Benzo[b]fluoranthene	<0.05 ug/g	70	50-140	48	50-140	0	0-40
391385	Benzo[ghi]perylene	<0.05 ug/g	65	50-140	60	50-140	0	0-40
391385	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	81		0	0-40
391385	Chrysene	<0.05 ug/g	92	50-140	73	50-140	0	0-40
391385	Dibenz[a h]anthracene	<0.05 ug/g	65	50-140	54	50-140	0	0-40
391385	Fluoranthene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391385	Fluorene	<0.05 ug/g	78	50-140	60	50-140	0	0-40
391385	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	58	50-140	61	50-140	0	0-40
391385	Naphthalene	<0.05 ug/g	79	50-140	66	50-140	0	0-40
391385	Phenanthrene	<0.05 ug/g	81	50-140	62	50-140	0	0-40
391385	Pyrene	<0.05 ug/g	79	50-140	67	50-140	0	0-40
391878	PHC's F2	<10 ug/g	120	80-120	92	60-140	0	0-30
391878	PHC's F3	<20 ug/g	120	80-120	92	60-140	0	0-30
391878	PHC's F4	<20 ug/g	120	80-120	92	60-140	0	0-30
391878	Moisture-Humidite		100	80-120			5	
391976	PHC's F1	<10 ug/g	112	80-120	106	60-140		0-30
391981	PHC's F2	<10 ug/g	120	80-120	92	60-140	0	0-30
391981	PHC's F3	<20 ug/g	120	80-120	92	60-140	0	0-30
391981	PHC's F4	<20 ug/g	120	80-120	92	60-140	0	0-30
391981	Moisture-Humidite		100	80-120			5	
391996	PHC's F4g	<100 ug/g		80-120		60-140		0-30
392000	Benzene	<0.02 ug/g	97	60-130	87	50-140	0	0-50
392000	Ethylbenzene	<0.05 ug/g	104	60-130	95	50-140	0	0-50
392000	Xylene, m/p-	<0.05 ug/g	107	60-130	99	50-140	0	0-50
392000	Xylene, o-	<0.05 ug/g	100	60-130	93	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

**Quality Assurance Summary**

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
392000	Toluene	<0.20 ug/g	100	60-130	93	50-140	0	0-50
392007	Xylene Mixture							
392008	PHC's F1-BTEX							

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

### **Test Summary**

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	1+2-methylnaphthalene	GC-MS	2020-11-04	2020-11-04	C_M	P 8270
391385	Methylnaphthalene, 1-	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Methylnaphthalene, 2-	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Acenaphthene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Acenaphthylene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Anthracene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Benz[a]anthracene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Benzo[a]pyrene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Benzo[b]fluoranthene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Benzo[ghi]perylene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Benzo[k]fluoranthene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Chrysene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Dibenz[a h]anthracene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Fluoranthene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Fluorene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Indeno[1 2 3-cd]pyrene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Naphthalene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Phenanthrene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391385	Pyrene	GC-MS	2020-11-02	2020-11-04	C_M	P 8270
391878	PHC's F2	GC/FID	2020-11-04	2020-11-05	C_M	CCME
391878	PHC's F3	GC/FID	2020-11-04	2020-11-05	C_M	CCME
391878	PHC's F4	GC/FID	2020-11-04	2020-11-05	C_M	CCME
391878	Moisture-Humidite	Oven	2020-11-04	2020-11-05	C_M	ASTM 2216
391976	PHC's F1	GC/FID	2020-11-04	2020-11-05	YH	CCME
391981	PHC's F2	GC/FID	2020-11-05	2020-11-06	C_M	CCME
391981	PHC's F3	GC/FID	2020-11-05	2020-11-06	C_M	CCME
391981	PHC's F4	GC/FID	2020-11-05	2020-11-06	C_M	CCME
391981	Moisture-Humidite	Oven	2020-11-05	2020-11-06	C_M	ASTM 2216
391996	PHC's F4g	GC/FID	2020-11-06	2020-11-06	A_A	CCME
392000	Benzene	GC-MS	2020-11-04	2020-11-06	YH	V 8260B
392000	Ethylbenzene	GC-MS	2020-11-04	2020-11-06	YH	V 8260B
392000	Xylene, m/p-	GC-MS	2020-11-04	2020-11-06	YH	V 8260B
392000	Xylene, o-	GC-MS	2020-11-04	2020-11-06	YH	V 8260B

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: RWDI Air Inc  
 4510 Rhodes Drive, Unit 530  
 Windsor, ON  
 N8W 5K5  
 Attention: Mr. Phil Janisse  
 PO#: 1801685  
 Invoice to: RWDI Air Inc.

Report Number: 1942165  
 Date Submitted: 2020-11-02  
 Date Reported: 2020-11-06  
 Project: 1801685-8000  
 COC #: 191453

***Test Summary***

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
392000	Toluene	GC-MS	2020-11-04	2020-11-06	YH	V 8260B
392007	Xylene Mixture	GC-MS	2020-11-06	2020-11-06	YH	V 8260B
392008	PHC's F1-BTEX	GC/FID	2020-11-06	2020-11-06	YH	CCME

Results relate only to the parameters tested on the samples submitted.  
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range